

ECAT Chemistry Chapter 1 Basic Concepts Online Test

Sr	Questions	Answers Choice
1	The branch of science dealing with structure, composition and changes in matter and laws and principles which govern these changes is called as	A. chemistry B. Geology C. Physics D. Mechanics
2	One mole of C ₂ H ₅ OH contains the number of H-atoms	A. 6.02×10^{23} B. 3.61×10^{24} C. 1.81×10^{24} D. 6.02×10^{24}
3	The diameter of atoms is of the order:	A. $2 \times 10^{-5} \text{ m}$ B. $2 \times 10^{-10} \text{ m}$ C. $2 \times 10^{-2} \text{ m}$ D. $2 \times 10^{-3} \text{ m}$
4	A compound contains 75% carbon and 25% hydrogen, by mass. What is the molecular formula of the compound?	A. C ₃ H ₈ B. CH ₄ C. C ₂ H ₄ D. C ₂ H ₆
5	The value of R(General Gas Constant) is	A. $8.3134 \text{ JK}^{-1}\text{mol}^{-1}$ B. $1.987 \text{ Cal K}^{-1}\text{mol}^{-1}$ C. Both a and b D. $10.5 \text{ J K}^{-1}\text{mol}^{-1}$

- 6 X-ray work has shown that the diameters of atom are of the order of
 A. 8×10^{-10} m
 B. 2×10^{-10} m
 C. 8×10^{-8} m
 D. 2×10^{-8} m
- 7 Who one mole of each of the following is completely burned in oxygen, which gives the largest mass of carbon dioxide?
 A. Carbon monoxide
 B. Diamond
 C. Ethane
 D. Methane
- 8 A compound having empirical formula C_3H_3O and its molecular mass is 110.02. Its molecular formula is
 A. $C_{sub>3}H_{sub>3}O$
 B. $C_{sub>6}H_{sub>6}O_{sub>2}$
 C. $C_{sub>9}H_{sub>9}O_{sub>3}$
 D. $C_{sub>3}H_{sub>6}O_{sub>2}$
- 9 The number of moles of CO_2 which contain 8.0 g of oxygen
 A. 0.25
 B. 0.50
 C. 1.0
 D. 1.50
- 10 The pressure of vapours when sent to the ionization chamber in mass spectrometer is
 A. 10^{-5} torr to 10^{-6} torr
 B. 10^{-6} torr to 10^{-7} torr
 C. 10^{-7} torr to 10^{-8} torr
 D. 10^{-3} torr to 10^{-4} torr
- 11 Hemoglobin contains nearly:
 A. 10,000 atoms
 B. 100 atoms
 C. 1000 atoms
 D. 1 atom
- 12 The atomic mass is measured in atomic mass unit (a.m.u.) which is equal to
 A. 1.661×10^{-27} Kg
 B. 1.661×10^{-24} Kg
 C. 1.661×10^{-27} g
 D. 1.661×10^{-24} mg
- 13 How many moles of oxygen, O_2 are needed for the complete combustion of two moles of butane C_4H_{10} ?
 A. 2
 B. 8
 C. 10
 D. 13
- 14 Question Image
 A. 32 g
 B. 3.2 g
 C. 5.6 g
 D. 9.6 g
- 15 When nitrogen is 5.6 grams in NO_2 , then number of moles of NO_2 is
 A. 0.5
 B. 0.4
 C. 0.04
 D. 0.05
- 16 Al^{3+} is a symbol for aluminium
 A. Atom
 B. Ion
 C. Cation
 D. Anion
- 17 The volume occupied by 1.4 g of N_2 at S.T.P is
 A. 2.24 dm^3
 B. 22.4 dm^3
 C. 1.12 dm^3
 D. 112 cm^3
- 18 Molecules of High molecular weight usually greater than 10,000 are called:
 A. Macro molecules
 B. Mega molecules
 C. Poly molecules
 D. Gega molecules
- 19 The relative atomic mass of chlorine is 35.5. What is the mass of 2 mol of chlorine gas
 A. 142 g
 B. 71 g
 C. 35.5 g
 D. 18.75 g
- 20 Which statement about an atom is true ?
 A. The number of neutrons is not equal to number of electrons
 B. Mass number is less than atomic number
 C. All the elements have only one mass number
 D. Mass number can be equal to atomic number
- 21 Question Image
 A. 8 g
 B. 16 g
 C. 32 g
 D. 24 g
- 22 One mole of ethanol and one mole of ethane have an equal
 A. Mass
 B. Number of atoms
 C. Number of electrons
 D. Number of molecules

- 23 NH₃, HCl, H₂O, HL are:
- A. Diatomic molecules
B. Poly-atomic molecules
C. Mono-atomic molecules
D. Hetero atomic molecules
-
- 24 Covalent compounds mostly exist in the form of:
- A. Protons
B. Atoms
C. Neutrons
D. Molecules
-
- 25 Question Image
- A. 0 dm^{<3}
B. 3 dm^{<3}
C. 2 dm^{<3}
D. 3 dm^{<3}
-
- 26 Hemoglobin is 68000 times heavier than:
- A. Oxygen atom
B. Nitrogen atom
C. Carbon atom
D. Hydrogen atom
-
- 27 What is the maximum mass of aluminium which can be obtained from 240g of aluminium oxide Al₂O₃?
- A. 26 g
B. 127 g
C. 51 g
D. 108 g
-
- 28 One of the following statements is incorrect
- A. Actual yield is always less than the theoretical yield
B. The formula of a compound is not definite
C. Law of conservation of mass is applied in stoichiometry
D. Boyle's law is applied in stoichiometry
-
- 29 Which of the following statements is not true?
- A. Isotopes with even atomic masses are comparatively abundant
B. Isotopes with even atomic masses are comparatively abundant
C. Isotopes with even atomic masses and even atomic numbers are comparatively abundant
D. Isotopes with even atomic masses and odd atomic number are comparatively abundant
-
- 30 Which statement about molecule is incorrect ?
- A. Molecules of a substance are similar
B. Hemoglobin is a homo atomic molecules
C. Oxygen molecule is a macro molecule
D. It exists independently
-
- 31 A beaker contains 9 grams of water. The number of H-atoms is
- A. 6.02 x 10²³
B. 3.01 x 10²³
C. 6.02 x 10²⁴
D. 3.01 x 10²⁴
-
- 32 0.5 mole of CH₄ and 0.5 mole of SO₂ gases have equal
- A. Volume
B. Mass in gram
C. Total number of atoms

D. Number of molecules

- 33 The mass of Al_2S_3 formed when 20 grams Al reacts completely with S is
A. 60 g
B. 50 g
C. 50.55 g
D. 55.55 g
- 34 Question Image
- 35 Benzene is stable to:
A. Oxidation
B. Nitration
C. KMnO_4
D. SULPHONATION
- 36 CO^+ is an example of
A. Stable molecule
B. Anionic molecule ion
C. Cationic molecular ion
D. Free radical
- 37 The empirical formula of a liquid compound is known to be $\text{C}_2\text{H}_4\text{O}$. What other information is needed to work out its molecular formula?
A. The percentage composition of the compound
B. The relative molecular mass of the compound
C. The density of the compound
D. The volume occupied by one mole of the compound
- 38 Determination of atomic masses and invention of system of writing symbols was made by:
A. J. Berzelius
B. Democritus
C. Dalton
D. None of above
- 39 The isotopes of an element
A. Possess same mass number
B. Possess same number of protons
C. Do not possess same chemical properties
D. May or may not possess same chemical properties
- 40 Which one of the following compounds does not have the empirical formula CH_2O ?
A. Ethanoic acid, CH_3COOH
B. Ethanol, $\text{CH}_3\text{CH}_2\text{OH}$
C. Glucose, $\text{C}_6\text{H}_{12}\text{O}_6$
D. Methanal, HCHO
- 41 In molecules kinetic and potential energies are:
A. Definite
B. Moderate
C. Indefinite
D. None of above
- 42 A limiting reactant is one which according to the stoichiometric equation
A. Has excess mass
B. Has least mass
C. Has excess number of moles
D. Has least number of moles
- 43 The largest number of molecules are present in
A. 3.6 g of H_2O
B. 4.8 g of $\text{C}_2\text{H}_5\text{OH}$
C. 2.8 g of CO
D. 5.4 g of N_2O_5
- 44 The mass of one mole of proton is
A. 1.008 g
B. 0.184 g
C. 1.673 g
D. 1.008 mg
- 45 Atoms and molecules can either gain or lose electrons, forming charge particles called:
A. Positrons
B. Photons
C. Ions
D. Electrons
- 46 The number of atoms present in molecule determines its:
A. Molecularity
B. Atomicity
C. Basicity
D. Acidity
- 47 Atoms can be evident by use of electron microscope, field ionization microscope and:
A. x-rays
B. Video camera
C. Telescope
D. Compound microscope
- 48 When 0.1 g of magnesium is treated with an excess of hydrochloric acid, what volume of gas at room temperature and pressure will be produced
A. 10 cm^3
B. 25 cm^3
C. 48 cm^3
D. 100 cm^3

A. Metals

	B. <p class="MsoNormal">Positively charged<o:p></o:p></p> C. <p class="MsoNormal">Negatively charged<o:p></o:p></p> D. <p class="MsoListParagraph" style="text-indent:-.25in;mso-list:l0 level1 lfo1">(a)<!--[endif]-->And (c)<o:p></o:p></p>	
49	Metal tend to lose electrons, becoming:	
50	A molecule of haemoglobin is made up if nearly	A. 10,000 atoms B. 50,000 atoms C. 2500 atoms D. 1500 atoms
51	A ring contains 3 gram diamond. The number of C-atoms which a ring contains is	A. 3.01×10^{23} B. 1.5×10^{23} C. 6.02×10^{24} D. 3.01×10^{24}
52	Which of the following statement is correct for a chemical reaction to occur molecules of substances must	A. Collide with each other B. Collide with energy more than activation energy C. Collide with energy less than activation energy D. Collide with high frequency
53	CL ₂ , N ₂ and O ₂ are:	A. <p class="MsoNormal">Diatomic molecules<o:p></o:p></p> B. <p class="MsoNormal">Hetero atomic molecules<o:p></o:p></p> C. <p class="MsoNormal">Poly-atomic molecules<o:p></o:p></p> D. Mono-atomic molecules
54	The empirical formula of a compound is CH ₂ O. What may be the compound	A. C ₂ H ₅ OH B. C ₂ H ₅ OH C. HCOOH
55	Formation of a cation is:	A. Exothermic process B. Non-endothermic process C. Endothermic process D. None of above
56	The number of subatomic particles in atoms sidcovered is more than:	A. 110 B. 100 C. 125 D. 90
57	Two different hydrocarbon each contain the same percentage by mass of hydrogen. It follows that they have the same	A. Empirical formula B. Number of atoms in a molecules C. Number of isomers D. Relative molecular mass
58	Isotopes differ in the	A. Number of neutrons B. Number of protons C. Number of electrons D. Number of atoms
59	The negatively charged particles are called	A. Cation B. Radical C. Anion D. Positron

60	Which of the sub-atomic particles is not charged	A. Electron B. Proton C. Neutron D. All of them
61	3.01×10^{22} Ag ⁺ ions is present in	A. 85 grams AgNO ₃ B. 0.85 g AgNO ₃ C. 8.5 g AgNO₃ D. 18.5 g AgNO ₃
62	A limiting reactant is the one which	A. Is taken in lesser quantity in grams as compared to other reactants B. Is taken in lesser quantity in volume as compared to other reactants C. Gives the maximum amount of the product which is required D. Gives the minimum amount of the product under consideration
63	C ₆ H ₁₂ O ₆ and C ₁₂ H ₂₂ O ₁₁ are:	A. Mono-atomic molecules B. Diatomic molecules C. Poly-atomic molecules D. <p class="MsoNormal">Hetero atomic molecules</p>
64	Question Image	
65	First atomic theory was put forward by an English school teacher:	A. Maxwell B. Newton C. Sanger D. John Dalton
66	The wave length of visible light is 500 nm. In S.I. unit this value is	A. 5×10^{-8} m B. 5×10^{-9} m C. 500×10^{-7} m D. 500×10^{-9}m
67	Which one of the following step is not involved in determination of empirical formula	A. Determination % of each element B. Determination of gram atom of each element C. Determination of isotopes of each element D. Determination of atomic ratio of element
68	Which one of the following statements is not correct	A. A molecule is the smallest particle of an element which can exist independently B. He is a molecule of helium C. S ₈ is a molecule of sulphur D. O₃ is a molecule of oxygen
69	One mole of SO ₂ contains	A. 6.02×10^{23} atoms of oxygen B. 18.1×10^{23} , molecules of SO ₂ C. 6.02×10^{23} atoms of sulphur D. 4 gram atoms of SO ₂
70	Which of the following compounds contains the highest percentage by mass of nitrogen?	A. Ammonia, NH ₃ B. Ammonium carbamate, NH ₂ CO ₂ NH ₄ C. Ammonium carbonate, (NH ₄) ₂ CO ₃ D. Hydrazine, N₂H₄
71	A molecular ion is formed by	A. Passing a high energy electron beam through gaseous molecule B. Dissolving a salt in dilute acid C. Passing electric current through molten salt D. Passing electricity through aqueous solutions
72	An ion bearing positive charge is called:	A. Cation B. Positron C. Anion D. None of above
73	A compound X contains 50% sulphur and 50% oxygen by mass. What is the empirical formula of compound X?	A. SO B. SO ₂ C. SO ₃ D. SO ₄
74	Where energy is released during a reaction it is	A. Exothermic reaction B. Endothermic reaction C. A free radical reaction D. A bond breaking reaction
		A. Theoretical yield

75	The amount of products obtained from the balanced chemical equation is regarded as	B. Actual yield C. % yield D. Experimental yield
76	The relative abundance of the ions with a definite m/e value is measured by	A. High pressure of vapours B. Strength of electric current measured C. Quantity of fast moving electrons D. Electron gas
77	If four moles of sulphur dioxide are oxidised to sulphur trioxide, how many moles of oxygen molecules are required	A. 0.5 B. 1.0 C. 1.5 D. 2.0
78	Mass spectrometer measures the	A. Exact mass of an element B. Average mass of an element C. The number of elements present in a molecule D. m/e value of a positive ion
79	A compound contains one atom of oxygen and % of O 34.78, then molecular mass of compound is	A. 46 B. 78 C. 110 D. 180
80	When an electron is added to a uni positive ion we get:	A. Cation B. Molecule C. Neutral atom D. Anion
81	Objects of the size of an atom can be observed in	A. An electron microscope B. An x-ray spectrum C. Atomic absorption spectrum D. A visible spectrum
82	How many moles of hydrogen atoms does 3.2 g of methane, CH ₄ , contain?	A. 0.02 B. 0.2 C. 0.4 D. 0.8
83	A balloon contains 0.02 gram of H ₂ gas, it contains H ₂ molecules	A. 6.02×10^{23} B. 3.01×10^{22} C. 6.02×10^{21} D. 3.01×10^{21}
84	0.5 mole of CH ₄ and 0.5 mole of SO ₂ gases have equal	A. Volume B. Mass in grams C. Total number of atoms D. Number of molecules
85	Each molecule of haemoglobin is 68000 times heavier than one atom of	A. C B. H C. N D. O
86	Isotopes differ in	A. properties which depend upon mass B. arrangement of electrons in orbitals C. chemical properties D. the extent to which they may be affected in electric fields
87	A beaker contains 9 grams of water. The number of H atoms is	A. 6.02×10^{23} B. 3.01×10^{23} C. 6.02×10^{24} D. 3.01×10^{24}
88	The atom of an element is	A. The smallest particle B. The fundamental particle C. The independent particle D. The charged particle
89	The percentage of which element in the organic compound is determined by the difference method	A. Carbon B. Hydrogen C. Nitrogen D. Oxygen
90	A species having positive or negative charge is called:	A. Electron B. Ion C. Proton D. Atom
91	Matter is defined as any thing which occupies space and:	A. Molecules B. Mass C. Compound D. Molecules
92	Macromolecules are	A. organic molecules B. High molecular mass molecules C. Natural compounds D. Rarely occurring molecules

93	The relative abundance of Pb isotopes is 1.5% Pb ²⁰⁴ , 23.6% Pb ²⁰⁶ , 22.6% Pb ²⁰⁷ , 52.3% Pb ²⁰⁸ . The relative atomic mass of Pb is	A. 207.94 B. 208.24 C. 206.94 D. 207.24
94	The mass of sulphur which combines with 24 grams oxygen to form SO ₂	A. 32 gram B. 24 gram C. 8 gram D. 12 gram
95	Question Image	A. 84.84 % B. 89.89% C. 81.81% D. 90.90%
96	The percentage of H is the highest in	A. CH ₄ B. NH ₃ C. H ₂ SO ₄ D. C ₆ H ₁₂ O ₆
97	The quantitative relationship between the substances according to balanced equation describes	A. Reversible reactions B. Stoichiometry C. Limiting reacting D. Percentage composition
98	Smallest particle of an element which may or may not have independent existence is known as:	A. A molecule B. An ion C. An atom D. An electron
99	He Ar and Ne are:	A. Mono-atomic molecules B. <p class="MsoNormal">Heteroatomic molecules </p> C. <p class="MsoNormal">Poly-atomic molecules<o:p></o:p></p> D. <p class="MsoNormal">Diatomic molecules<o:p></o:p></p>
100	1.12 dm ³ of N ₂ gas at S.T.P. has mass of N ₂ gas	A. 2.8 g B. 2.4 g C. 1.4 g D. 14 g
101	Question Image	A. N ₂ O ₄ is limiting reactant B. N ₂ H ₄ is the limiting reactant C. Reactants are completely converted to the products D. Reactions is reversible
102	Relative atomic mass of an element is the mass of the element relative to	A. 1/12 mass of carbon-12 B. 1/12 mass of carbon C. 1 mass of hydrogen atom D. 1/16 mass of oxygen
103	Ascorbic acid contains 40.92% carbon, 4.58%, hydrogen and 54.4% oxygen. The empirical formula is	A. C ₃ H ₄ O ₃ B. C ₂ H ₄ O ₃ C. C ₃ H ₅ O ₄ D. C ₂ H ₃ O ₁
104	What is the volume in cm ³ of 3.01 × 10 ²³ molecules of O ₂ gas at S.T.P.	A. 1000 cm ³ B. 11000 cm ³ C. 1120 cm³ D. 11200 cm ³

- 105 The phenomenon of isotropy was first discovered by
A. Soddy
B. Rutherford
C. Bohr
D. Dalton
- 106 Which has greater number of moles
A. 0.1 g sodium
B. 6.02×10^{20} atoms of magnesium
C. 20 cm^3 of 0.1 M mole per dm³ of NaOH
D. 12.2 dm^3 of nitrogen at standard [A_r Na = 23, Mg = 24, O = 16]
- 107 The number of isotopes of gold is
A. 3
B. 1
C. 2
D. 4
- 108 Question Image
- 109 Isotopes of an element differ in
A. Number of protons
B. Number of electrons
C. Number of neutrons
D. Number of electrons and protons