

ECAT Pre General Science Physics Chapter 11 Heat & Thermodynamics Online Test

| Sr | Questions | Answers Choice |
|----|---|--|
| 1 | On the exaust stroke, the outlet values opens. The residual gases are expelled and piston moves | A. outwards B. inwards C. in either way D. none of these |
| 2 | When heat is added into the system then change in entropy is | A. negative B. positive C. zero D. any one of them |
| 3 | When heat is removed from the system | A. negative B. positive C. zero D. any one of them |
| 4 | Good absorbers of heat are | A. Poor emitters B. Non emitters C. Good emitters D. Highly polarized |
| 5 | The percentage of available heat energy converted into work by a diesel engine is roughly | A. 35 %` B. 40 % C. 35 - 40 % D. 25 % |
| 6 | The ideal gas law is | A. P = nRT B. V = nRT C. PV =RT D. PV =nRT |
| 7 | Efficiency of carnot engine is independent of the | A. temperature of sink B. temperature of source C. nature of the working substances D. none of them |
| 8 | The number of translation degress of freedom for a diatomic gas is | A. 2 B. 3 C. 5 D. 6 |
| 9 | The relationship between Boltzmann constant k with R and N _A is given as: | A. $k = RN \le b A \le b$ B. $k = R/N \le b A \le b$ C. $k = NR/N \le b A \le b$ D. None of these |
| 10 | First law of thermodynamic is special case of | A. Law of conservation of energy B. Charle's law C. Law of conservation of mass D. Boyle's law |
| 11 | The absolute temperature of the tripple point of water is | A. 100 °C B. 4 °C C. 373 K D. 273.16 K |
| 12 | According to the second law, which is must to produce work | A. a source contains a large amount of heat energy B. two sources at the same temperature C. two sources at the different temperatures D. a source contains a small amount of energy |
| 13 | First law of thermodynamics tells us that heat energy can be converted into equivalent amount of work, but it is silent about | A. how heat is absorbed B. how heat extracted C. how this conversion takes place D. none of them |
| 14 | A carnot cycle consists of | A. One step B. two step C. three steps |

| 15 | The heat required to raise the temperature of one mole of the substance through 1 K is called | D. tour steps A. heat capacity B. specific heat capacity C. molar specific heat D. all of them |
|----|--|--|
| 16 | In an adiabatic process the work is done at the expense of the | A. energy supplied to the system B. energy gained from the surroundings C. internal energy D. none of them |
| 17 | Absolute temperature can be calculated by | A. Means squares velocity B. Motion of the molecule C. Both A and B D. None of these |
| 18 | Carnot heat engine only used | A. isothermal processes B. adiabatic processes C. both of them D. none of them |
| 19 | Internal energy is the sum of all the forms of | A. K.E B. P.E C. both of them D. none of them |
| 20 | The highest efficiency of a heat engine whose low temperature is 17°C and the high temperature is 200°C is | A. 70% B. 100% C. 35% D. 38% |
| 21 | Which of the following is not an assumption of kinetic energy | A. a finite volume of gas consists of very large number of molecules B. the gas molecules are in random motion C. collision between the gas molecules are inelastic D. the size of the gas molecules is much smaller than the separation between molecules |
| 22 | No spark plug is needed in | A. petrol engine B. diesel engine C. both of them D. none of them |
| 23 | A diatomic gas molecule has | A. translational energy B. rotaional energy C. vibrational energy D. all of them |
| 24 | Generally a temperature scale is established by | A. one fixed point B. two fixed point C. three fixed point D. four fixed point |
| 25 | Which of the following does not have the same units: | A. Work B. Heat C. Kinetic energy D. Power |
| 26 | Triple point of water is | A. 273.16 °F B. 372.16K C. 273.16 °F D. 273.16 |
| 27 | Pressure exerted by a gas is | A. Independent of density of the gas B. Inversely proportional to the density of the gas C. Directly proportional to the square of the density of the gas D. Directly proportional to the density of the gas |
| 28 | The concept of entropy was introduced into the study of thermodynamics in | A. 1856 B. 1865 C. 1656 D. 1685 |
| 29 | The work done on the system by the environment is considered as | A. positive B. negative C. zero D. any one of them |
| | | A 0 044 W/C 1/C |

| 30 | The volume of universal gas constant R is: | B. 8314 J/K mole K C. 8.314 J/mole K D. None of these |
|----|--|---|
| 31 | Brownian motion increases due to | A. Increase in size of Brownian particle B. Increase in temperature of medium C. Increase in density of medium D. Increase in viscosity of medium |
| 32 | First law of thermodynamics is consequence of conservation of | A. Work B. Energy C. Heat D. All of these |
| 33 | Pressure applied at any point of gas at rest is transmitted equally to all parts of the gas. This is the statement of: | A. Newton's second law B. Pascal's law C. Carnot theorem D. Second law of thermodynamics |
| 34 | If the formula PV = nRT, n denotes: | A. Number of molecules per unit volume B. Number of moles C. Number of molecules D. None of these |
| 35 | An isochoric process is one which take place at | A. Constant internal energy B. Constant entropy C. Constant volume D. Constant pressure |
| 36 | Gas constant per molecule is called: | A. Universal gas constant B. Stefen's constant C. Boltzmann constant D. Gravitation constant |
| 37 | At constant temperature, if the density of the gas is increased, its pressure will: | A. One kg of a substance B. Unit volume of a substance C. One mole of a substance D. None of these |
| 38 | The example of irreversible process is | A. slowly liquification B. slowly evaporation C. an explosion D. all of them |
| 39 | For the working of a heat engine, there must be | A. a source of heat at high temperature B. a sink at low temperature C. both of them D. none of them |
| 40 | While deriving equation of pressure by kinetic theory of gases, we take into account: | A. Only linear motion of molecules B. Only rotational motion C. Only vibratory motion D. All of these |
| 41 | A process is a reversible process, if the entropy of the system | A. increases B. decreases C. remains constant D. none of them |
| 42 | While deriving the equation for pressure of a gas we consider the | A. rotational motion of molecules B. vibrational motion of molecules C. linear motion of molecules D. all of them |
| 43 | If R is gas constant for 1 gram mole, C_p and C_v are specific heat for a solid then | A. C _p - C _v = R B. C _p - C _{v < R} C. C _p - C _{v = 0} D. C _p - C _{v > R} |
| 44 | The temperature scale approved in SI units is: | A. Celsius scale B. Kelvin scale C. Fehrenheit scale D. None of these |
| 45 | The unit of thermodynamical scale is | A. centigrade B. fahrenheit C. kelvin D. none of them |
| 46 | A real gas can be approximated to an ideal gas at | A. Low density B. High pressure C. High density D. Low temperature |
| 47 | In the formula $P = N_0KT$, N_0 denotes: | A. Number of molecules per unit per volume B. Number of moles C. Number of molecules |

| | | D. None of these |
|-----|---|--|
| 48 | In case of an ideal gas, the P.E associated with its molecule is | A. maximum B. zero C. minimum D. not fixed |
| 49 | The work done by the system on its environment is considered as | A. positive B. negative C. zero D. any one of them |
| 50 | The motion of molecules in gases is: | A. Orderly B. Random C. Circular D. All of these |
| 51 | At the constant temperature, if the value of a given mass of a gas is double, then the density of gas becomes: | A. Double B. Remains constant C. Half D. None of these |
| 52 | If a liquid is heated in weightlessness, the heat is transmitted through | A. Conduction B. Convection C. Radiation D. Neither, because the liquid cannot be heated in weightlessness |
| 53 | Pressure of a gas at constant volume is proportion to | A. Total energy of gas B. Average P.E to molecules C. Average K.E of molecules D. Total internal energy of gas |
| 54 | If the distance between two charges is doubled, the force between them will become: | A. Double B. Half C. Three times D. One fourth E. One third |
| 55 | Two metal rods A and B have their initial lengths in the ratio 2 : 3 and coefficients of linear expansion in the ratio 4 : 3. When they are heated through same temperature difference the ratio of their linear expansion is | A. 1:2 B. 2:3 C. 3:4 D. 8:9 |
| 56 | In a heat engine, heat is supplied by the | A. cold reservoir B. sink C. hot reservoir D. none of them |
| 57 | The only significant motion possessed by the mono-atomic gas represented is: | A. Translatory B. Rotatory C. Vibratory D. None of these |
| 58 | The behaviour of gases is well accounted by the kinetic theory based on | A. microscopic approach B. macroscopic approach C. both of them D. none of them |
| 59 | In which process the condition for the application of Boyle's law on the gas is fulfilled | A. isochoric process B. adiabatic process C. isothermal process D. none of them |
| 60 | A gas is compressed adiabatically till its temperature is double. The ratio of its final volume to initial volume will be | A. 1/2 B. More than 1/2 C. Less than 1/2 D. Between 1 and 2 |
| 61 | The state in which ice, water and vapour coexists in equilibrium is called | A. zero degree celsius B. zero degree fahrenheit C. absolute zero D. 373 K |
| 62 | The rate of change of momentum of a molecule is equal to: | A. Pressure B. Work C. Density D. Force |
| 63 | Specific heat at constant pressure is greater than the specific heat at constant volume because | A. Heat is used up to increase temperature at constant pressure B. Heat is used by gas for expansions purposes at constant pressure C. Heat is use dup to increase internal energy D. The above statement is invalid |
| · · | | A. Becomes zero B. Becomes maximum |

| 64 | At absolute temperature, the kinetic energy of the molecules | C. Becomes minimum D. Remain constant |
|----|---|---|
| 65 | If the ratio of densities of two gases is 1:4, then the ratio of their rates of diffusion into one another is | A. 2:1 B. 4:1 C. 1:4 D. 3:4 |
| 66 | If an amount of heat enters the system it could | A. decrease the internal energy B. not change the internal energy C. increase the internal energy D. none of them |
| 67 | Which of the following is a state variable | A. entropy B. pressure C. volume D. all of them |
| 68 | According to kinetic theory of gases, molecules of a gas behave like | A. Inelastic spheres B. Perfectly elastic rigid sphere C. Perfectly elastic non-rigid spheres D. Inelastic non-rigid spheres |
| 69 | The earliest heat engine was | A. petrol engine B. diesel engine C. electric engine D. steam engine |
| 70 | It is impossible to devise a processes which may convert heat, extracted from a single reservoir, entirely into work without leaving any change in the working system. This is the statement of | A. Clausius statement of second law B. Kelvin'sstatement of second law C. Clausius statement of first law D. Kelvin's statement of first law |
| 71 | Hotness and coldness of an object is represented in terms: | A. Heat B. Temperature C. Chemical energy D. None of these |
| 72 | A process which can be retraced in exactly reverse order, without producing any change in the surroundings is called | A. reversible process B. irreversible process C. any one of them D. none of them |
| 73 | Which quantity is important in stating the entropy of the system | A. initial entropy B. final entropy C. change in entropy D. none of them |
| 74 | The temperature of gas is produced by | A. At potential energy of its molecules B. The kinetic energy of its molecules C. The attractive force between its molecules D. The repulsive force between its molecules |
| 75 | If denotes the total number of molecules in cubic vessel such that m is mass of each milecule and I is length of each side of vessel, then mNI ³ gives the: | A. Force B. Density C. Work done D. Pressure |
| 76 | One kilogram of different substances contain | A. same number of molecules B. different number of molecules C. may be same or different D. none of them |
| 77 | At what temperature the adiabatic change is equivalent to the isothermal change? | A. Zero degree Celsius B. Zero Kelvin C. Critical temperature D. Above critical temperature |
| 78 | The volume of a gas will be double of what it is at 0°C (pressure remaining constant) at | A. 546 K B. 273 K C. 546 °C D. 273 °C |
| 79 | A succession of events which bring the system back to its initial condition is called | A. reversible process B. irreversible process C. a cycle D. none of them |
| 80 | The product of the pressure and volume of an ideal gas is | A. A constant B. Approximately equal to the universal gas constant C. Directly proportional to its temperature D. Inversely proportional to its temperature |

| 81 | Heat required to raise the temperature of one mole of a gas through 1 K at constant pressure is called | A. heat capacity B. specific heat capacity C. specific heat at constant volume D. specific heat at constant pressure |
|----|---|--|
| 82 | Boyle's law is applicable in | A. Isochoric process B. Isothermal process C. Isobaric process D. Isotonic process |
| 83 | The absolute temperature for an ideal gas is | A. directly proportional to the rotational K.E of gas molecules B. directly proportional to the vibrational K.E of gas molecules C. directly proportional to the average translational K.E. of gas molecules D. directly proportional to the P.E. of gas molecules |
| 84 | Real gases strictly obey gas law at: | A. High pressure and low temperatures B. Low pressures and high temperatures C. High pressures and high temperatures D. None of these |
| 85 | Sadi carnot described an ideal heat engine in | A. 1820 B. 1840 C. 1860 D. 1880 |
| 86 | Electromagnetic waves emitted by hot bodies are called: | A. Photoelectrons B. Alpha rays C. Thermal radiation D. None of these |
| 87 | During the whole carnot cycle | A. Thermal equilibrium is maintained B. mechanical equilibrium is maintained C. both the thermal and mechanical equilibriumis maintained D. both the thermal and mechanical equilibrium is not maintained |
| 88 | The efficiency of diesel engine is | A. 25% B. 25 - 30% C. 35% D. 35 - 40% |
| 89 | The internal energy of an ideal gas system is generally the | A. translational K.E of molecules B. vibrational K.E of molecules C. rotational K.E of molecules D. all of them |
| 90 | For making cooking utensils, which of the following pairs of properties is most suited? | A. Low specific heat and high conductivity B. Low specific heat and low conductivity C. High specific heat and high conductivity D. High specific heat and low conductivity |
| 91 | An amount of water of mass 20 g at 0°C is mixed with 40 g of water at 10°C. Final temperature of mixture is | A20 °C B. 6.67 °C C. 5 °C D. 0 °C D. 0 °C |
| 92 | The heat required to raise the temperature of one mole of the gas through 1 K at constant volume is called | A. heat capacity B. specific heat capacity C. molar specific heat D. molar specific heat at constant volume |
| 93 | R.M.S velocity of a particle is V at pressure P. If pressure increases by two times, then R.M.S velocity becomes | A. 2V B. 3V C. 0.5V D. V |
| 94 | A reversible cycle is the one in which | A. some of the changes are reversible B. all of the changes are reversible C. all of the changes are irreversible D. none of them |
| 95 | If 42 J heat is transferred to the system and the work done by the system is 32 J then what will be the change in internal energy | A. 0 J B. 2 J C. 5 J D. 10 J |

| 96 | The efficiency of petrol engine is usually not more than 25% to 30% because of | A. friction B. heat losses C. both of them D. none of them |
|-----|--|---|
| 97 | The Boltzman constant has the value | A. 1.38 x 10 ⁻²³ JK ⁻¹ B. 1.28 x 10 ⁻²³ JK ⁻¹ C. 1.38 x 10 ⁻²⁶ JK ⁻¹ D. 1.28 x 10 ⁻²⁶ JK ⁻¹ D. 1.28 x 10 ⁻²⁶ JK ⁻¹ |
| 98 | Rate of diffusion is | A. Faster in solids than in liquids and gases B. Faster in liquids than in solids and gases C. Equal to solids, liquids and gases D. Faster in gases than in liquids and solids |
| 99 | The pressure exerted by the gas is | A. directly proportional to the P.E B. inversely proportional to the P.E C. inversely proportional to the K.E D. directly proportional to the K.E |
| 100 | The kinetic energy of one molecule of a gas at normal temperature and pressure will be (k = 8.31 J/mole K): | A. 1.7 x 10 ³ J B. 10.2 x 10 ³ J C. 34 x 10 ³ J D. 6.8 x 10 ³ J |
| 101 | In an adiabatic expansion, the temperature of the gas | A. increases B. becomes zero C. decreases D. decreases rapidly |
| 102 | The curve representing an adiabatic process is called | A. isotherm B. adiabat C. adiable D. none of them |
| 103 | We can express the work in term of | A. directly measurable variables B. indirectly measurable variables C. either of them D. both of them |
| 104 | Melting point of ice | A. Increases with increasing pressure B. Decreases with increasing pressure C. Is independent of pressure D. Is proportional to pressure |
| 105 | When the temperature of source and sink of a heat engine become equal entropy change will be | A. Zero B. Max C. Min Dve |
| 106 | 10 c.c. each of oxygen and hydrogen are kept in separate flasks. Then which of the following relations is correct? | A. Each have same number of molecules B. Don't have same number of molecules C. Can't be predicted D. None |
| 107 | An irreversible heat flow from a hot to cold substances of a system, causes the disorder to | A. decrease B. remains the same C. increase D. any one of them |
| 108 | At constant volume temperature is increased. Then | A. Collision on walls will be less B. Number of collisions per unit time will increase C. Collision will be in straight lines D. Collision will not change |
| 109 | In the reverse process, the working substance passes through the same stages as in the direct process and | A. thermal effects at each stage are exactly reversed B. mechanical effects at each stage are exactly reversed C. thermal and mechanical effects at each stage remain the same D. thermal and mechanical effects at each stage are exactly reversed |
| 110 | The coefficient of linear expansion of iron is 0.000011 per°K. An iron rod is 10 metre long at 27°C. The length of the rod will be decreased by 1.1 mm when the temperature of the rod | A. 0 °C B. 10 °C |

| | changes to | C. 17 °C D. 20 °C |
|-----|---|---|
| 111 | At constant temperature, on increasing the pressure of a gas by 5%, its volume. The final temperature of the gas will be | A. 81 K B. 355 K C. 627 K D. 627 °C |
| 112 | Which of the following is not thermo dynamical function? | A. Enthalpy B. Work done C. Gibb's energy D. Internal energy |
| 113 | At O° K which of the following properties of a gas will be zero? | A. Kinetic energy B. Potential energy C. Vibrational energy D. Density |
| 114 | If a molecule with momentum mv strikes a wall and rebound then the change in momentum will be: | A2 mv B. Zero C. 2 mv D. mv |
| 115 | Tick the correct pair when M denotes the molecular mass and other symbols carry usual meanings: | A. N = nN _A m = MN _A B. n = N N _A , M = mN _A C. M = N _A /N, N _A = m/n D. N = nN _A , M = mN _A = m/n |
| 116 | Rice takes longest to cook | A. In a submarine 100 m below the surface of the sea B. At sea level C. At Murree D. At Mount Everest |
| 117 | On the power stroke, a spark fires the mixtures causing a rapid increase in pressure and temperature and the burning mixture expands | A. adiabatically B. isothermally C. isochorically D. isobarically |
| 118 | Truth of kinetic energy is confirmed by: | A. Diffusion of gases B. Brownian motion C. Both A and B D. None of these |
| 119 | The nature of thermal radiation is similar to: | A. Ultraviolet rays B. Light rays C. Both of them D. None of these |
| 120 | Two samples A and B of a gas initially of the same temperature and pressure are compressed from a volume V to a volume V/2 such that A is compressed isothermally and B adiabatically. The final pressure | A. A greater than than of B B. A is equal to that of B C. A is less than that of B D. A is twice the pressure of B |
| 121 | On the compression stroke of the petrol engine, the inlet value is closed and the mixture is compressed | A. adiabatically B. isothermally C. isochorcally D. isobarically |
| 122 | Adiabatic change occurs when the gas | A. expands B. compressed C. expands or compressed D. expands or compressed rapidly |
| 123 | Energy gas behaves like an ideal gast at | A. High temperature and low pressure B. Low temperature and high pressure C. Both A and B D. None |
| 124 | Heat travels through vacuum by | A. Conduction B. Convection C. Radiation D. Both A and B |
| | | A. 32 °C B32 |

| 125 | What temperature is the same on Celsius scale as well as on Fahrenheit scale? | iont-raminy: arial, sans-serii; iont-size: small;">°C C40 °C D212 °C |
|-----|--|---|
| 126 | In an ideal gas, the molecules have: | A. Kinetic energy only B. Potential energy only C. Both KE and PE D. None of these |
| 127 | Which of the following is not an example of adiabatic process | A. the rapid escape of air from a burst type B. the rapid expansion and compression of air through which a sound wave is passing C. cloud formation in the atmosphere D. none of them |
| 128 | The process which is carried out at constant temperature is known as | A. adiabatic process B. isothermal process C. isochoric process D. none of them |
| 129 | A heat engine is that which converts | A. mechanical energy into thermal energy B. thermal energy into mechanical energy C. K.E into potential energy D. heat energy into light energy |
| 130 | Absolute zero is considered as that temperature at which: | A. All liquid become gases B. All gases become liquid C. Water freezes D. None of these |
| 131 | The length of a metallic rod is 5 meter at 100°C. The coefficient of cubical expansion of the metal will be | A. 2.0 x 10 ⁻⁵ / °C B. 4.0x10 ⁻⁵ / °C C. 6.0x10 ⁻⁵ / °C D. 2.33x10 ⁻⁵ / °C D. 2.33x10 ⁻⁵ / °C |
| 132 | The basis to define a temperature scale that is independent of material properties is provided by | A. carbon cycle B. nitrogen cycle C. Carnot cycle D. irreversible cycle |
| 133 | If N is the total number of molecules and V is the volume of the container, then the expression for the pressure of gas is | A. P=P/V<1/2mv ² > B. P=2NV<1/2mv ² > C. P=2/3N/V<1/2mv ² > D. P=2/3NV<mv ² > |
| 134 | If a system undergoes a natural process it will go in the direction that causes the entropy of the system plus the environment to increase, this is another statement of | A. second law thermodynamics B. first law of thermodynamics C. third law of thermodynamics D. none of them |
| 135 | The second law of thermodynamics is concerned with the circumstances in which | A. heat can be converted into work B. direction of flow of heat C. none of them D. both of them |
| 136 | The curve representing an isothermal process is called | A. adiabat B. isotherm C. fixed temperature D. none of them |
| 137 | Hydrogen and helium of same volume V at same temperature T and same pressure P are mixed to have same volume V. The resulting pressure of the mixtures will be | A. R/2 B. P C. 2P D. Depending on the relative mass of the gases |
| 138 | The disorder in the system increases due to the | A. removal of heat B. addition of heat C. removal or addition of heat D. none of them |
| | | |

| 139 | The percentage of available heat energy converted into work by a petrol engine is roughly | B. 40 % C. 35 to 40 % D. 25 % |
|-----|---|--|
| 140 | If the volume of the gas is to be increased by 4 times, then | A. Temperature and pressure must be doubled B. At constant P the temperature must be increased by 4 times C. At constant T the pressure must be increased by four times D. It cannot be increased |
| 141 | A gas which strictly obeys the gas laws under all conditions of temperature and pressure is called: | A. Ideal gas B. Inert gas C. Real gas D. None of these |
| 142 | When two objects come to common temperature, the body is said to be in: | A. Static equilibrium B. Dynamic equilibrium C. Thermal equilibrium D. None of these |
| 143 | In the theory of dimensional analysis, heat may be properly represented by: | A. ML ² T ⁻² B. MT ⁻² C. ML ⁻¹ T ⁻¹ D. None of these |
| 144 | If water in a closed bottle is taken up to the moon and opened, the water gets | A. Freeze B. Boiled C. Dissociated into O ₂ and H ₂ D. Evaporated |
| 145 | Pressure may be define as per second per unit area: | A. Change in force B. Change in momentum C. Change in energy D. Work done |
| 146 | The bicycle pump provides a good example of | A. first law of thermodynamics B. second law of thermodynamics C. third law of thermodynamics D. none of them |
| 147 | A typical four stroke petrol engine undergoes how many successive processes in each cycle | A. one B. two C. three D. four |
| 148 | In the study of thermodynamics, which gas is considered as the working substance | A. real gas B. ideal gas C. any gas may be ideal or real D. none of them |
| 149 | In thermodynamics, internal energy is the function of | A. temperature B. pressure C. state D. none of them |
| 150 | A process in which no heat enters or leaves the system is called | A. isochoric process B. isothermal process C. adiabatic process D. none of them |
| 151 | Maximum density of H ₂ O is at the temperature | A. 32 °F B. 39.2 °F C. 42 °F D. 4 °F |
| 152 | The volume of given mass of a gas will be doubled at atmosphere pressure if the temperature of the gas is changed from 150°C to | A. 300 °C B. 573 °C C. 600 °C D. 743 °C C. 600 |

| 153 | Since the absolute scale is independent of the property of the working substance, hence, can be applied at | A. very high temperature B. very low temperature C. any one of them D. none of them |
|-----|--|--|
| 154 | The internal energy of a system does not depend upon the | A. initial state of the system B. final state of the system C. path D. none of them |
| 155 | If a process cannot be retraced in the backward direction by reversing the controlling factors, it is | A. a reversible process B. an irreversible process C. any one of them D. both of them |
| 156 | We cannot utilize the heat contents of oceans and atmosphere because | A. there is no reservoir at the same temperature B. there is no reservoir at the temperature lower than any one of two C. there is no reservoir at the temperature higher than any one of two D. none of them |
| 157 | Generally a temperature scale is established by using certain physical properties of a material which varies | A. nonlinearly with temperature B. linearly with temperature C. either of them D. none of them |
| 158 | The pressure of gas everywhere inside the vessel will be the same provided the gas is of | A. Non-uniform density B. uniform density C. high density D. low density |
| 159 | In all natural processes where heat flows from one system to another, there is always a net | A. decrease in entropy B. increase in entropy C. decrease or increase in entropy D. none of them |
| 160 | Average KE of a gas molecule has: | A. Direct relation with absolute temperature and inverse relation with pressure B. Direction relation with both absolute temperature and pressure C. Inverse relation with both absolute temperature and pressure D. None of these |
| 161 | The value of E_0 in coulomb's law is: | A. 9 x 10 ⁹ Nm ² C ^{- 2} B. 8.85 x 10 ^{- 12} C ² N ^{- 12} M ^{- 12} M ^{- 2} C. 8.85 x 10 ^{- 12} Nm ^{- 2} D. 9 x 10 ⁹ C ^{- 2} Nm ^{- 2} D. 9 x |
| 162 | On a cold morning a metal surface will fell colder to touch than a wooden surface, because | A. Metal has high specific heat B. Metal has high thermal conductivity C. Metal has low specific heat D. Metal has low thermal conductivity |
| 163 | The example of reversible process is | A. an explosion B. changes occur suddenly C. slow compression of a gas D. all of them |
| 164 | The efficiency of carnot engine cannot be 100% or one unless cold reservoir is at | A. 100 K B. 273 K C. 0 K D273 K |
| 165 | On colliding in a closed container, the gas molecules | A. Transfer momentum to the walls B. Momentum becomes zero C. Move in opposite directions D. Perform Brownian motion |
| 166 | Amount of heat required to raise the temperature of a body through 1 K is called its | A. Specific heat B. Water equivalent C. Thermal capacity D. Entropy |
| 167 | One mole of any substance contain | A. same number of molecules B. different number of molecules |

C. may be same or different D. none of them

A. remains same
B. decreases
C. remains the same then decreases
D. increases