

Sets And Functions

C _r	Ougations	Anguara Chaica
Sr	Questions	Answers Choice
1	A running total of class frequency is called	A. histogram B. cumulative frequency C. data D. call interval
2	The formula used to convert Fahrenheit temperature (°F) into celsius temperature (°C) is:	A. °F = (9/5 X° c) + 33 B. °F = (9/5 X° c) + 32 C. °F = 9/5(°F - 32) D. °F = 9/5(°F + 32)
3	First elements of ordered pairs ls called:	A. column B. row C. point D. origin
4	1 miles =?	A. 1.5 km, B. 1.6 km, C. 6.1 km, D. 5.1 km,
5	A set of two elements, listed in a specific order is called	A. unordered pairs B. ordered pairs C. cartesian D. rectangular
6	According of grouped data formula of arithmetic mean	A. $x = \sum fx/\sum f$ B. $x = \sum fx/\sum n$ C. $x = \sum fx/\sum x$ D. $x = \sum x/\sum n$
7	In cartesian plane, vertically line is called	A. x - axis B. y - axis C. point D. origin
8	The coordinates of origin are	A. (1,0) B. (0,1) C. (0,0) D. (1,1)
9	If a group of students get marks from 20% to 10% their frequency will be	A. 10 B. 15 C. 20 D. 5
10	The table which gives the frequency of each score is called	A. logarithmic table B. grouped table C. ungrouped table D. frequency table
11	⊼ is called	A. arithmetic mean B. mode C. median D. group data
12	In cartesian plane point 'O' is called	A. column B. row C. origin D. axis
13	In Cartesian plane the horizontal line XOX IS	A. x - axis B. y - axis C. origin D. co-ordinate axis
14	The formula used to convert Celsius temperature (°C)into Fahrenheit temperature (°F) is"	A. °C = 9/5(°F -32) B. °C = 5/9(°C +32) C. °C = 5/9(°F + 32) D. °C = 5/9(°F -32)
15	The number of time each value appears in the date is called	A. polygon B. frequency C. histogram D. frequency table