

FSC Part 2 Mathematics Chapter 4 Online Test

Sr	Questions	Answers Choice
1	If (x, y) are the coordinates of a point, then the first component of the ordered pair is called:	A. Abscissa B. Ordinate C. Coordinate axes D. None of these
2	A parallelogram is a rhombus if and only if its diagonals are:	A. Parallel B. Perpendicular C. Equal D. None of these
3	If the inclination of a line lies between $]90^\circ, 180^\circ[$, then the slope of line is :	A. Positive B. Negative C. Zero D. undefined
4	Distance of the point $(-2, 3)$ from y-axis is:	A. -2 B. 2 C. 3 D. 1
5	X-coordinate of any point on Y-axis:	A. 0 B. x C. y D. 1
6	Inclination of X-axis or of any line parallel to X-axis is:	A. Zero D. Undefined
7	The point of intersection of the medians of a triangle is called:	A. Centroid B. Ortho-center C. Circums-center D. In-center
8	The ratio in which the line segments joining $(2, 3)$ and $(4, 1)$ is divided by the line joining $(1, 3)$ and $(4, 3)$ is:	A. 2 : 1 B. 3 : 1 C. 1 : 2 D. 1 : 1
9	Point of intersection of $x + y = 5$ & $x - y = 3$ is:	A. $(5, 5)$ B. $(4, 2)$ C. $(4, 1)$ D. $(1, 4)$
10	If (x, y) are the coordinate of a point ordered pair is called:	A. Abscissa B. Ordinate C. Coordinate D. Ordered pair
11	The point $(2, 5)$ lies the lie $3x - y + 1 = 0$	A. Above B. Below C. On D. None
12	The line $y = a$ is below the x-axis, if:	A. $a > 0$ B. $a < 0$ C. $a = 0$
13	y-coordinate of any point on X-axis:	A. 0 B. x C. y D. 1
14	The centroid of a triangle is a point that divides each median in the ratio:	A. 2 : 1 B. 2 : 3 C. 1 : 3 D. 4 : 3
15	Question Image	
16	$y = -2$ is a line:	A. Parallel to x-axis B. Parallel to y-axis C. Perpendicular to x-axis D. None of these

A. x-axis

17	The vertical line $y'oy$ is called:	B. y-axis C. abscissa D. Ordinate
18	General form of equation of line is:	A. $ax - by + c = 0$ B. $ax + by - c = 0$ C. $ax + by + c = 0$ D. $ax - by - c = 0$
19	Question Image	A. Parallel lines B. Non-parallel lines C. Perpendicular lines D. Coplanar lines
20	If the inclination of the line l lies between $]0^\circ, 90^\circ[$, then the slope of l is:	A. Positive B. Negative C. Undefined D. None of these
21	The centroid of the triangle whose vertices are $(3, -5)$, $(-7, 4)$ and $(10, -2)$ is:	A. $(-2, -2)$ B. $(-2, 2)$ C. $(2, -1)$ D. $(0, 0)$
22	$x = 4$ is a line:	A. Parallel to x - axis B. Parallel to y - axis C. Perpendicular to y-axis D. None of these
23	$x = c$ is a line:	A. Perpendicular to x-axis B. Parallel to x-axis C. Perpendicular to y-axis D. None of these
24	Angle between the lines $x + y + 1 = 0$ & $x - y + 4 = 0$ is:	A. 30° B. 45° C. 60° D. 90°
25	Point of intersection of lines $x - 2y + 1 = 0$ and $2x - y + 2 = 0$ equals:	A. $(1, 0)$ B. $(0, 1)$ C. $(-1, 0)$ D. $(0, -1)$
26	Equation of a line parallel to x-axis:	A. $x = 0$ B. $x = y$ C. $y = a$ D. $x = a$
27	$ax + by + c = 0$, will represent equation of straight line parallel y-axis if:	A. $a = 0$ B. $b = 0$ C. $c = 0$ D. $a = 0, c = 0$
28	The line l is horizontal if and only if slope is equal to:	A. 0 B. 1 C. 2 D. undefined
29	The ratio in which y-axis divides the line joining $(2, -3)$ and $(-5, 6)$ is:	A. 2 : 3 B. 2 : 5 C. 1 : 2 D. 3 : 5
30	A quadrilateral having two parallels and two non-parallel sides is called:	A. Trapezium B. Rectangle C. Rhombus D. None of these
31	Inclination of Y-axis or of any line parallel to Y-axis is:	B. Zero D. Undefined
32	A linear equation in two variables represents:	A. Circle B. Ellipse C. Hyperbola D. Straight line
33	The point of intersection of the altitudes of a triangle is called:	A. Centroid B. Ortho-center C. Circums-center D. In-center
34	Joint equation of $y + 2x = 0$, $y - 3x = 0$ is:	A. $(y+2x)(y-3x) = 0$ B. $(y-2x)(y-3x) = 0$ C. $(y+2x)(y+3x) = 0$ D. $(y-2x)(y+3x) = 0$
		A. $y = 1$ B. $y = 0$

35	For any point (x, y) on x-axis:	<p><input type="radio"/> A. $y = 0$</p> <p><input type="radio"/> B. $y = -1$</p> <p><input type="radio"/> C. $y = -1$</p> <p><input type="radio"/> D. $y = 2$</p>
36	If (2, 1) is the mid point of the line segment joining the points (2, x) & (2, -5) then x =	<p><input type="radio"/> A. 1</p> <p><input type="radio"/> B. 2</p> <p><input type="radio"/> C. 7</p> <p><input type="radio"/> D. -7</p>
37	Question Image	<p><input type="radio"/> A. Parallel lines</p> <p><input type="radio"/> B. Perpendicular lines</p> <p><input type="radio"/> C. Non-parallel lines</p> <p><input type="radio"/> D. None of these</p>
38	The point of intersection of internal bisectors of the angles of a triangle is called:	<p><input type="radio"/> A. Centroid</p> <p><input type="radio"/> B. Ortho-centers</p> <p><input type="radio"/> C. Circums-center</p> <p><input type="radio"/> D. In-center</p>
39	Question Image	<p><input type="radio"/> D. 2</p>
40	X-co-ordinate of centroid of triangle ABC with A(-2, 3); B(-4, 1); C(3, 5) equals:	<p><input type="radio"/> A. -1</p> <p><input type="radio"/> B. 1</p> <p><input type="radio"/> C. 3</p> <p><input type="radio"/> D. -3</p>
41	If $a = 0$, then the line $ax + by + c = 0$ is parallel to:	<p><input type="radio"/> A. y - axis</p> <p><input type="radio"/> B. x - axis</p> <p><input type="radio"/> C. along y - axis</p> <p><input type="radio"/> D. None of these</p>
42	The equation to the straight line which passes through the point (2, 9) and makes an angle of 45° with x-axis is:	<p><input type="radio"/> A. $x + y + 7 = 0$</p> <p><input type="radio"/> B. $x - y + 7 = 0$</p> <p><input type="radio"/> C. $y - x + 7 = 0$</p> <p><input type="radio"/> D. None of these</p>
43	If the directed distances AP and PB have the opposite signs, i.e; p is beyond AB, then their ratio is negative and P is said to divide AB:	<p><input type="radio"/> A. Internally</p> <p><input type="radio"/> B. May divide</p> <p><input type="radio"/> C. Externally</p> <p><input type="radio"/> D. None of these</p>
44	If in the case of translation of axes, O (-3, 2), (x, y) = (-6, 9) then (X, Y) =	<p><input type="radio"/> A. (-3, 9)</p> <p><input type="radio"/> B. (-3, 7)</p> <p><input type="radio"/> C. (-9, 11)</p> <p><input type="radio"/> D. (3, 7)</p>
45	If a straight line is perpendicular to y-axis, then its slope is:	<p><input type="radio"/> A. 1</p> <p><input type="radio"/> B. -1</p> <p><input type="radio"/> C. 0</p> <p><input type="radio"/> D. undefined</p>
46	In the translation of axes which formula is true:	<p><input type="radio"/> A. $x = X + h$</p> <p><input type="radio"/> B. $X = x + h$</p> <p><input type="radio"/> C. $x + X = h$</p> <p><input type="radio"/> D. None</p>
47	$y - y_1 = m(x - x_1)$ is the equation of straight line in:	<p><input type="radio"/> A. Slope-intercept form</p> <p><input type="radio"/> B. Point-slope form</p> <p><input type="radio"/> C. Normal form</p> <p><input type="radio"/> D. Intercepts form</p>
48	The distance between the points (1, 2), (2, 1).	<p><input type="radio"/> A. 1</p> <p><input type="radio"/> D. 2</p>
49	The point of intersection of the perpendicular bisectors of a triangle is called:	<p><input type="radio"/> A. Centroid</p> <p><input type="radio"/> B. Ortho-center</p> <p><input type="radio"/> C. Circums-center</p> <p><input type="radio"/> D. In-center</p>
50	Question Image	<p><input type="radio"/> A. 0</p> <p><input type="radio"/> B. 2</p> <p><input type="radio"/> C. 1</p> <p><input type="radio"/> D. -1</p>
51	For any point (x, y) and y - axis:	<p><input type="radio"/> A. $y = 0$</p> <p><input type="radio"/> B. $y = -1$</p> <p><input type="radio"/> C. $y = 1$</p> <p><input type="radio"/> D. $x = 0$</p>
52	$y = mx + c$ is the equation of straight line in:	<p><input type="radio"/> A. Slope-intercept form</p> <p><input type="radio"/> B. Two points from</p> <p><input type="radio"/> C. Point slope form</p> <p><input type="radio"/> D. Intercepts form</p>
53	The point (5, 8) lies the line $2x - 3y + 6 = 0$	<p><input type="radio"/> A. Above</p> <p><input type="radio"/> B. Below</p> <p><input type="radio"/> C. On</p> <p><input type="radio"/> D. None</p>

54	If a pair of opposite sides of a quadrilateral are equal and parallel then it is:	A. Rectangle B. Rhombus C. Parallelogram D. None of these
55	Two non parallel lines intersect each other at:	A. 1 point B. 2 points C. 3 points D. 4 points
56	Distance of the point (-3, 7) from x-axis is:	A. 3 B. -3 C. 7 D. 10
57	y - ordinate of the centroid of triangle with vertices A(-2, 3) B(-4, 1), C(3, 2) is:	A. 3 B. 1 C. 2 D. 0
58	The ratio in which x-axis divides the line segment joining the points:	A. 1 : 1 B. 1 : 3 C. 1 : 5 D. 1 : 2
59	The perpendicular distance of the line $3x + 4y + 10 = 0$ from the origin is:	A. 0 B. 1 C. 2 D. 3
60	The pair of lines of homogeneous second-degree equation $ax^2 + 2hxy + by^2 = 0$ are real and coincident, if:	A. $h^2 < ab$ B. $h^2 > ab$ C. $h^2 = ab$ D. None of these
61	If (1, x) is the mid point of the line segment joining the points (1, 2) & (1, 6) then x =	A. 1 B. 2 C. 3 D. 4
62	If the line l is parallel to y-axis, then the slope of l is -----.	A. 0 B. 1 C. -1 D. undefined
63	The horizontal line x' ox is called:	A. x-axis B. y-axis C. abscissa D. ordinate
64	Equation of the line parallel to $x + 3y - 9 = 0$ is:	A. $3x - y - 9 = 0$ B. $3x + 9y + 7 = 0$ C. $2x - 6y - 18 = 0$ D. $x - 3y + 9 = 0$
65		A. Line parallel to x-axis B. Line parallel to y-axis C. Line passing through the origin D. Both (a) and (b)
66	If a straight line is perpendicular to x-axis, then its slope is:	A. 0 B. 1 C. 2 D. Undefined
67	$ax + by + c = 0$ has matrix form as:	B. $ ax + by = -c $ C. $ ax + by = c $ D. $ ax - by = -c $
68	The symbol is used for:	A. Parallel lines B. Perpendicular lines C. Non-parallel lines D. None of these
69	The coordinate axes divide the plane into----- equal parts:	A. 1 B. 2 C. 3 D. 4
70	If the directed distances AP and PB have same signs, then their ratio is positive and P is said to divide AB:	A. Internally B. May be divide C. Externally D. None of these
71	$y = 2x + 3$ is the;	A. Slope-intercept form B. Two points form C. Point slope form D. Intercepts form

72	Infinite number of lines can pass through:	A. One point B. Two points C. Three points D. Four points
73	The line $x = a$ is on the right of y - axis if:	A. $a > 0$ B. $a < 0$ C. $a = 0$
74	Question Image	A. Line parallel to x - axis B. Line parallel to y - axis C. Inclined D. Both (a) and (b)
75	A pair of lines of homogeneous second degree equation $ax^2 + 2hxy + by^2 = 0$ are othogonal, if:	A. $a - b = 0$ B. $a + b = 0$ C. $a + b > 0$ D. $a - b < 0$
76	Question Image	A. 4 B. 2 C. 1
77	The distance of any point $P(x, y)$ from the origin $O(0, 0)$ is given by:	
78	Question Image	A. Line parallel to x -axis B. Line parallel to y -axis C. Line passing through the origin D. Both (a) and (b)
79	Question Image	A. Line parallel to x -axis B. Line parallel to y -axis C. Line passing through the origin D. Both (a) and (b)
80	The line $y = c$ is above the x - axis, if:	A. $c > 0$ B. $c < 0$ C. $c = 0$
81	The distance between two points $P_1(x_1, y_1)$ and $P_2(x_2, y_2)$ on the co-ordinate plane is given by:	
82	The equation of a straight line which parallel to the line $3x - 2y + 5 = 0$ and passes through $(2, -1)$ is:	A. $3x + 2y - 8 = 0$ B. $3x - 2y + 8 = 0$ C. $3x - 2y - 8 = 0$ D. $3x + 2y + 8 = 0$