

Physics ICS Part 1 Chapter 8 Online Test

Sr	Questions	Answers Choice
1	What are gravitational waves.	<p>A. <p>Electromagnetic waves</p> B. <p>Mechanical waves</p> C. <p>Ocean waves</p> D. <p>Ripple in the fabric of spacetime</p></p>
2	A polaroid is.	<p>A. <p>A device used in polarimeter</p> B. <p>A light filter</p> C. <p>A device used to analyze polarized light</p> D. <p>All of these</p></p>
3	The effect of increasing the angle between the light wave and the analyzer on the intensity of light is.	<p>A. <p>The intensity increases</p> B. <p>The intensity of decreases</p> C. <p>The intensity remains the same</p> D. <p>The intensity becomes zero</p></p>
4	Polarizatio of light shows taht light is	<p>A. <p>Corpuscular in nature</p> B. <p>Of extremely shrot waves</p> C. <p>Longitudinal waves</p> D. <p>Transverse waves</p></p>
5	The process of confining the beam of light to vibrate in one plane is called.	<p>A. <p>Interference</p> B. <p>Diffraction&nbsp;</p> C. <p>Polarizaion</p> D. <p>Total internet refelection&nbsp;</p></p>
6	To distinguish between transverse and longitudinal wae.....is used.	<p>A. <p>Polarization&nbsp;</p> B. <p>Refraction&nbsp;</p> C. <p>Interference</p> D. <p>Diffraction&nbsp;</p></p>
7	The intensity of light when it passes through a polarizer.	<p>A. <p>Decreases</p> B. <p>Increases</p> D. <p>Remain same</p> E. <p>Become Zero</p></p>
8	Who predicted the existence of gravitational waves.	<p>A. <p>Galileo Galilei</p> B. <p>Albert Einstein</p> C. <p>Issac Newton</p> D. <p>Leonardo da 1venci</p></p>
9	Light can be polarized by	<p>A. <p>Selective absorption</p> B. <p>Reflection&nbsp;</p> C. <p>Scattering</p> D. <p>All of these</p></p>
10	The phenomenon of polarization of light is	<p>A. <p>The process of scattering of light</p> B. <p>The property of light to vibrate in a specific plane</p> C. <p>The ability of light to travel in a straight line</p> D. <p>The phenomenon of light chaning colour</p></p>
11	We van polarize the light by passing it through.	<p>A. <p>Water</p> B. <p>Polaroid</p> C. <p>Glass</p> D. <p>Prism</p></p>
12	Optically acgive crystals are	<p>A. <p>Quartz</p> B. <p>Sodium Chlorate</p> C. <p>Sodium Chlorade</p> D. <p>Botha a and b</p></p>
13	Bending of light around the edges of an obstacle is called.	<p>A. <p>Refraction&nbsp;</p> B. <p>Polarization&nbsp;</p> C. <p>Diffraction&nbsp;</p> D. <p>Interference</p></p>

14	Which of the following is a primary source of gravitational waves.	<p>A. Binary black hole merger</p> <p>B. Solar flares</p> <p>C. Earthquake</p> <p>D. Solar wind</p>
15	The mathematical representation of Malus's law is.	<p>A. $I = I_0 \cos^2 \theta$</p> <p>B. $I = I_0 \sin^2 \theta$</p> <p>C. $I = I_0 \tan^2 \theta$</p> <p>D. $I = I_0 \cot^2 \theta$</p>
16	Polarized sunglasses decrease glare on sunny days because they.	<p>A. Completely absorb light</p> <p>B. Have a special color</p> <p>C. Refract light</p> <p>D. Block a portion of light</p>
17	Longitudinal waves do not exhibit.	<p>A. Polarization</p> <p>B. Reflection</p> <p>C. Diffraction</p> <p>D. Refraction</p>
18	An unpolarized beam of transverse wave is that whose vibrations.	<p>A. Are confined to a single plane</p> <p>B. Takes place in direction perpendicular to their direction of propagation</p> <p>C. Takes place in all directions</p> <p>D. Take place in direction parallel to the direction of propagation</p>
19	The condition of maximum intensity of light in a polarization experiment is when.	<p>A. The light wave and analyzer are perpendicular</p> <p>B. The light wave and analyzer are parallel</p> <p>C. The light wave and analyzer are at an angle of 45°</p> <p>D. The light wave and analyzer are at an angle of 60°</p>
20	Malus's law states that	<p>A. The intensity of light is directly proportional to the square of the cosine of the angle between the light wave and the analyzer</p> <p>B. The intensity of light is directly proportional to the square of the sine of the angle between the light wave and the analyzer</p> <p>C. The intensity of light is directly proportional to the angle between the light wave and the analyzer</p>

light wave and the analyzer. I_p
D. $I_p \propto \cos^2 \theta$
The intensity of light is inversely
proportional to the angle between the
light wave and the analyzer
