

Computer Science Ics Part 2 Chapter 13 Online Test

Sr	Questions	Answers Choice
1	Global variable are created in:	A. RAM B. ROM C. Hard Disk D. Cache
2	Which of the following looks for the prototypes of function used in a program?	A. Linker B. Loader C. Compiler D. Parser
3	A value that can be sent to a function is known as:	A. Return value B. Indicator C. Argument D. Automatic variable
4	A type of functions written by the programmer is known as:	A. User-defined B. Subprograms C. Subroutines D. Built-in function
5	What is the variable name that is used by a function to receive passed values?	A. Funticon B. Parameter C. Expression D. Constant
6	Which of the following steps takes place when function is called:	A. The control moves to the function that is called B. All statements in the function body are executed C. The control returns back to the calling functon D. All of these
7	Th process of sending an argument to a function is called:	A. Sending B. Filtering C. Delivering D. Passing
8	Function prototype for built-in-function are specified in:	A. Source file B. Header file C. Object file D. Image files
9	Local variables are also called:	A. Automatic variables B. Normal variables C. Global variables D. Basic variables
10	The first line of function definition is known as:	A. Function header B. Function body C. Arguments D. Return type
11	The statement that activities a function is known as:	A. Function call B. Function output C. Function design D. Function definition
12	Which statement is used by a function use to return a value?	A. Give B. Return C. Continue D. Send
13	Which of the following is type of function available in C language?	A. User-defined B. Build-in C. Subprogram D. Both a and b
14	Multiple arguments to a function are separated by:	A. Comments B. Semicolons C. Colons D. Commas
		A. Global variable

15	A variable declaration outside any function is known as:	B. Local variable C. External variable D. Static variable
16	A build-in function:	A. Cannot be redefine B. Can be redefined C. Cannot return a value D. Should be redefined
17	In a C program, two function can have:	A. Same name B. Same parameters C. Same name & Same parameters D. Same name but different parameters
18	Formal arguments are also called:	A. Actual arguments B. Dummy arguments C. Original arguments D. Referenced arguments
19	A type of function that is available as part of language is known as:	A. User-defined function B. Library function C. Sun-program D. Both a and b
20	Which of the following is NOT a valid function declaration?	A. int ave3(int a, int b, int c) B. int 3ave(int a, int b, int c) C. int ave3(int, int, int) D. int ave_3(int a1, int b2, int c3)