

Computer Science Ics Part 2 Chapter 14 Online Test

Sr	Questions	Answers Choice
1	which of the following functions is used to write character to a file?	A. <code>putc()</code> B. <code>putch()</code> C. <code>fputs()</code> D. <code>fgets()</code>
2	Which of the following are file handing functions?	A. <code>fprintf()</code> B. <code>fscanf()</code> C. Both a and b D. <code>make()</code>
3	Which mode opens only an existing file for both reading and writing?	A. "w" B. "w+" C. "r+" D. "a+"
4	Which of the following functions is used to write a string to a file?	A. <code>puts()</code> B. <code>putc()</code> C. <code>fputs()</code> D. <code>fgets()</code>
5	If <code>fptr=fopen("Data.txt","r")</code> statement is used to open a file then what would be the necessary condition?	A. The file must already exist B. The file should be data file only C. The file must contain valid student data D. The type of file must be read only
6	A file is stored in?	A. RAM B. Hard Disk C. ROM D. Catche
7	Which of the following character is used to mark the end of the string?	A. <code>\0</code> B. <code>/0</code> C. <code>\a</code> D. <code>\n</code>
8	Which of the following function is used to copy a string to an array of characters?	A. <code>strcpy</code> B. <code>strpcy</code> C. <code>strycp</code> D. <code>copy</code>
9	An array script should be:	A. <code>int</code> B. <code>float</code> C. <code>double</code> D. An array
10	On successfully closing a file, the <code>fclose()</code> returns?	A. Null B. 0 C. 1 D. File pointer
11	Which of the following functions is used to read character from a file?	A. <code>getc()</code> B. <code>putc()</code> C. <code>fputs()</code> D. <code>fgets()</code>