

PPSC Computer Science Topic 9 PHP

Sr	Questions	Answers Choice
1	Which of the following are valid float values.	A. 4.5678 B. 4.0 C. 7 e4 D. All of above
2	Which of the following statement is more suitable if you want to output a blend of static text and dynamics information stored within one or several variables.	A. Echo() B. Print () C. print f() D. None
3	The left association operator % s used in PHP for	A. Percentage B. bit wise or C. Division D. Modulus
4	Trace the function that does continue the script execution even if the file inclusion fails.	A. Include () B. requre(0 C. Both of abvoe D. None
5	Trace the odd data type	A. Floats B. Integer C. Double D. Real number
6	Which of the following data type is not seal or datA type supported by PHP	A. Array B. String C. Float D. Boolean
7	A variable \$word is set to "HELLO WORLD" which of the following script returns in title case.	A. Echo uc words (\$word) B. Echo uc words (strtolower (\$word) C. Echo uc first (\$word) D. None of above
8	You can define a constant by using the define () function Once a constant is defined.	A. It can never the changed of underdefined B. It can never be changed but can be undefined. C. It can be changed but can not be undefined D. It can be changed and can be undefined
9	Which of following are compound data type.	A. array B. Objects C. Both D. None
10	To work with remote files in PHP you need to enable.	A. Allow_url_fopen B. Allow_remote_files C. Both of above D. None
11	When compared to the compiled program scripts run	A. Faster B. Slower C. The execution speed in similar D. All of above
12	PHP is widely used scriting language that is especially suited for web development and can be embedded into html.	A. Open source general purpose B. Proprietary general purpose C. Open source special purpose D. Proprietary special purpose
13	Which of the following mode of fopen () function opens a file only for writing if a file with that name does not exist, attempts to create a new file, If the file exist, place the file pointer at the end of the file after all other data.	A. W B. W+ C. A D. A+
14	Which of the following variables is not a predefined variable.	A. \$get B. \$ask C. #reuest D. #post
		· -·

In mail (\$param2, \$ param 2, \$param 3, \$param 4), the \$param 2 contains.	A. The message B. The recipient C. The header D. The subject
Which function includes the specified file even the statement evaluates to false in which block the function is placed.	A. Include () B. require (0 C. Both of above D. None
PHP supports all four different ways of delimiting in this context identify the false statement.	A. You can use any of the delimiting style. B. You can use different delimiting style in same page C. You can use any delimiting style but must use a single style consistently for a page. D. Variables declared in previous blocks are remembered on later blocks tool
f open (\$file_doc."r+& rduo opens a file for.	A. reading B. writing C. both above D. None
Identify the variable scope that is not supported by PHP	A. Local variables B. Function parameters C. Hidden variables D. Global variables
In PHP string data are	A. Delimited by single uote B. Delimited by double uoto C. Delimited by <<< identifier D. All of above
	Which function includes the specified file even the statement evaluates to false in which block the function is placed. PHP supports all four different ways of delimiting in this context identify the false statement. f open (\$file_doc."r+& rduo opens a file for. Identify the variable scope that is not supported by PHP