

## Mathematics English Medium 5th Class Online Test

Sr	Questions	Answers Choice
1	How many least number of students are there in Class Vi then Class V.	A. 20 B. 10 C. 5 D. 15
2	The length of a side of a square is 10 cm its area will be.	A. 10 cm <sup>3</sup> B. 40 cm <sup>3</sup> C. 60 cm <sup>3</sup> D. 100 cm <sup>3</sup>
3	The length and width of a rectangular window is 60 cm and 30 cm respectively. its area will be.	A. 1800 cm <sup>3</sup> B. 90 cm <sup>3</sup> C. 1800 cm <sup>2</sup> D. 180 cm <sup>3</sup>
4	The greatest number which divides two or more given numbers simultaneously is called.	A. LCM B. HCF C. Factorization D. Factor
5	$9/17 - 5/17 =$	A. 4/17 B. 9 5/17 C. 14/17 D. 2/17
6	Average of 5,10,15,20,10	A. 8 B. 10 C. 12 D. 18
7	A quadrilateral having only one pair of parallel sides is called.	A. trapezium B. Square C. rhombus D. triangle
8	$4 \times$ length of a side =	A. Perimeter of triangle B. Perimeter of Circle C. Perimeter of rectangle D. Perimeter of square
9	When we multiply a number by..... we put 3 zeros to the right side.	A. 10 B. 100 C. 1 D. 1000
10	When we multiply any number by any other number, their product is called ....of that number.	A. HCF B. Prime factorization C. Factor D. Multiple
11	When we divide a non-zero whole number having 0 at its ones place by 10, we..... from its digit.	A. Remove one zero B. Remove two zero C. Add one zero D. Add two zero
12	The total length of the boundary of a closed region is called its	A. Perimeter B. Area C. Side D. Length
13	If the perimeter of the rectangle is 34 cm and we increase its length by 2 cm then there will be a difference of ..... cm in its perimeter.	A. 2 B. 4 C. 6 D. 8
14	Two angles are called..... if their sum is 180 Degree	A. Supplementary angles B. Complementary angles C. Adjacent angles D. Acute angles
15	1 cm -----	A. 100 mm B. 10 mm C. 1/10 mm D. 1000 mm

---

16 A..... is a 2-dimensioal shape which can be folded in a specific pattern to get a 3-dimensioal solid.

A. Net  
B. rhombus  
C. Triangle  
D. parrlelogram

---

17 To find the sum of given values whose average is knowns, the following formula is used.

A. sum of item = average of item + number of item  
B. sum of item= average of item-number  
C. sum of items = average of item x number of items  
D. None of these

---

18 Which of the following is proper fraction.

A. 14/5  
B. 7/2  
C. 15/9  
D. 20/21

---

19 Ahmad jumped 12 times in a minute , 9 times in second minutes and 15 times in third minute what will be the average of number of jumps ahmed did.

A. 9  
B. 11  
C. 12  
D. 15

---

20 All angles of an equilateral traingle sare equal to.

A.  $60^\circ$   
B.  $70^\circ$   
C.  $80^\circ$   
D.  $90^\circ$

---