

## Computer General Science Test Hard Mode

Sr	Questions	Answers Choice
1	Which of the following function keys is used to choose the save as command?	A. F2 B. F4 C. F10 D. F12
2	In first normal form	A. Tables are break down B. Tables are re-joined C. Tables are made D. None of the above
3	Some compilers allow variable names whose length could be up to	A. 1 to 20 Characters B. 1 to 40 characters C. 1 to 60 characters D. 1 to 80 characters
4	Which of the following buttons of find and Replace dialog box is clicked to start the search process?	A. Find B. Find next C. Search D. Next
5	Another name for antivirus is	A. Vaccine B. Worm C. Trojan horse D. DES
6	The format specifier % is used for	A. Integer B. Unsigned short C. Unsigned float D. Unsigned long int
7	The storage capacity of a hard disk is	A. Larger than that of a floppy disk B. Larger than that of a CD ROM C. Larger than that of main memory D. All of the above
8	Function prototypes for built-in function are specified in	A. Source files B. Header files C. Object files D. Image files
9	TCP/IP was developed for use in ARPANET in	A. 1970 B. 1973 C. 1983 D. 1993
10	The output of a query is the form of	A. Table B. Reports C. Files D. Forms
11	Which of the following virus deletes all Microsoft Office files and also the partition information from the disk?	A. Trojan horse B. Logic bomb C. Chernobyl D. Redlof
12	Object-oriented is a	A. Broad category of relation database model B. Latest research on the relational database model C. Principles of the relational database model D. None of the above
13	External modems	A. are expensive B. Have more operational features C. Offer high transmission speed D. All of the above
14	The protocol developed by IBM for its mainframe computers is named	A. De facto B. SNA C. X.25 D. De hure
		A. Constants

15	Which of the following can be passed to a function via arguments?	<ul style="list-style-type: none"><li>B. Variables (with values)</li><li>C. Expressions</li><li>D. Preprocessor directives</li></ul>
16	The expression in define directive	<ul style="list-style-type: none"><li>A. Can only be changed at the end of the program</li><li>B. Cannot be changed</li><li>C. Cannot be changed but can be redefine</li></ul>
17	A database consists of various components called the	<ul style="list-style-type: none"><li>A. Tool</li><li>B. Properties</li><li>C. Entities</li><li>D. Object</li></ul>
18	Turbo C++ can compile	<ul style="list-style-type: none"><li>A. C++ programs only</li><li>B. C and C++ programs</li><li>C. Turbo C programs only</li><li>D. Turbo C++ programs only</li></ul>
19	A computer bus is	<ul style="list-style-type: none"><li>A. A register</li><li>B. Parallel metal lines</li><li>C. ALU and CU</li><li>D. A computer clock</li></ul>
20	Primary key is used	<ul style="list-style-type: none"><li>A. To short the data speedy</li><li>B. Searching is speeded up</li><li>C. Not allows duplicate entities</li><li>D. All of the above</li></ul>