

## 10th Class Computer Science English Medium Online Test For Full Book

Sr	Questions	Answers Choice
1	All of arithmetic operators, relational operators and logical operators && and    are:	A. unary operators B. binary operators C. ternary operators D. all of these
2	The person who knows how to write a computer program correctly is known as:	A. programmer B. firmware C. engineer D. composer
3	The value passed to the function are called.	A. Value B. Input C. Output D. Arguments
4	How many types of selection structure.	A. 1 B. 2 C. 3 D. 4
5	Using loops inside loops is called _____ loops:	A. for B. while C. do-while D. nested
6	Which format specifier is used for integer data type ?	A. %d B. %i C. both a and b D. none of these
7	How many types of function.	A. 1 B. 2 C. 3 D. 4
8	The function which are defined by a programmer are called.	A. Module B. User -define C. Routine D. work
9	A _____ cannot be used as a variable name:	A. reserved word B. simple words C. stringwords D. reserved variable
10	Dividing the program into multiple functions improves the ..... of the program.	A. Readability B. Open C. Read D. Write
11	Which is a block of statements that performs a particular task.	A. Function B. Program C. Routine D. Block
12	Header file is started from _____ symbol:	A. # B. \$ C. &amp; D. =
13	A float uses _____ bytes of memory:	A. 4 B. 3 C. 5 D. 6
14	By default, type int is considered as:	A. single integer B. negativeinteger C. positiveinteger D. originalinteger
15	Which operator is used to divide the value on left side by the value on right side ?	A. \ B. / C. + D. -

- 
- 16 The process of running a program is called:  
A. debugging  
B. compiling  
**C. execution**  
D. using
- 
- 17 printf is to used print \_\_\_\_\_ type of data:  
A. int  
B. float  
C. char  
**D. all of them**
- 
- 18 If we need to repeat one or more statements, than we use.  
A. Index  
B. array  
C. Iteration  
**D. Loop**
- 
- 19 Which is identifier for compiler to identity the end of a line ?  
A. :  
**B. :**  
C. "  
D. '
- 
- 20 All the statements inside these \_\_\_\_\_ make the body of main function:  
**A. {}**  
B. ()  
C. ??  
D. ==
-