

## ICS Part 2 Computer Science Online Test

Sr	Questions	Answers Choice
1	a+=b is equivalent to:	A. $b+=a$ B. $a+=b$ <b>C. <math>a=a+b</math></b> D. $b=b+a$
2	How many are layout of report?	A. 2 B. 3 C. 4 D. 5
3	The columns of a table correspond to:	A. Table B. Record <b>C. Field</b> D. Cell
4	Which of the following can be used as flag value	A. + B. # C. - <b>D. all</b>
5	Escape sequence starts with the character	A. % <b>B. /</b> C. # D. none
6	Which component of physical database design refers to the consistency of data?	A. Indexes <b>B. Integrity constraint</b> C. File organization D. Data distribution strategy
7	Each set of related items in a table is called:	A. Table <b>B. Record</b> C. Field D. Query
8	A factor consider when choosing a file organization is	A. Fast data retrieval B. Security C. Efficient storage <b>D. All of them</b>
9	The processing of running an executable file is known as:	A. Debugging B. Compiling <b>C. Executing</b> D. Saving
10	The function that is used to display output on screen is called:	<b>A. printf</b> B. scanf C. pow D. Display
11	The keyword 'break' cannot be used within:	A. Do-while <b>B. If-else</b> C. For D. While
12	Which of the following is used to define objects and describe their characteristics	A. Attributes B. Relationship <b>C. Both a &amp; b</b> D. None of them
13	Which is used to associate entities with one another?	A. Entity B. Attributes C. Identifier <b>D. Relationship</b>
14	Another term for a conditional operator is:	<b>A. Ternary</b> B. Binary C. Byte D. Iteration
15	Which of the following is a possible value of flag?	A. - B. + C. Space <b>D. All</b>

---

16 The name cannot exceed characters in length      A. 64  
B. 50  
C. 56  
D. 70

---

17 Which of the following data types is most appropriate for storing a name?      A. float  
B. int  
C. char  
D. long

---

18 C programming language was developed for -----      A. Dos  
B. Windows  
C. Unix  
D. Xenix

---

19 The types of files from usage point of view include      A. master file  
B. transaction file  
C. back up file  
D. all of them

---

20 Format specifier is started with symbol:      A. ?  
B. %  
C. &  
D. \*

---