

## ICS Part 2 Computer Science Online Test

Sr	Questions	Answers Choice
1	Which of the following is used to associate entities with one another?	A. Entity B. Attribute C. Identifier D. Relationship
2	Which of the following are properties of relations?	A. Each attribute has a unique name B. No two rows in a relation are identical C. There are no multivalued attributes in a relation D. All of the above
3	Which type of report lists every field for every record in a single column?	A. Tabular report B. Summary report C. Columnar reports D. All of these
4	An index may be created on:	A. Primary key B. Secondary key C. Foreign key D. All
5	We can make two way decisions with the help of	A. if B. nested C. if-else D. all
6	Which of the following format specifiers is used for integer data type?	A. %d B. %s C. %c D. %f
7	Which object is used to store data and define structure for the data in a database?	A. Table B. Macro C. Form D. Query
8	On successfully closing a file the f close () returns	A. Null B. 0 C. 1 D. File pointer
9	Conditional operator is alternative of:	A. If B. If-else C. Nested if-else D. None of these
10	_____ is a functional dependency in a relation between two or more non-key attributes	A. Transitive dependency B. Partial dependency C. Repeating groups D. None of these
11	Which is a loop statement?	A. If B. If-else C. Switch D. None of these
12	From the followings which is different	A. If B. Else-if C. Function D. Switch
13	A form with in another form is called:	A. Sub-form B. Main form C. Multi-form D. None
14	The symbol '=' represents:	A. Comparison operator B. Assignment operator C. Equal to operator D. None of these
15	_____ is created when the same name is used for two different attributes	A. Synonyms B. Homonyms C. Redundant information

- 
- 16 A report may be based on a :
- A. Table
  - B. Query
  - C. Both a and b
  - D. None
- 
- 17 A form that contains a sub form is called:
- A. Form
  - B. Main form
  - C. Report
  - D. None
- 
- 18 This statement causes a loop to terminate early?
- A. Break
  - B. Terminate
  - C. Exit
  - D. A and B
- 
- 19 Which of the following operators has lowest precedence
- A. !
  - B. +
  - C. =
  - D. =
- 
- 20 Which is used to display yes/no values:
- A. Check box
  - B. Option buttons
  - C. Both a & b
  - D. None of these
-