

ICS Part 2 Computer Science Online Test

Sr	Questions	Answers Choice
1	A factor to consider when choosing a file organization is:	A. Fast retrieval B. Security C. Efficient storage D. All
2	Data is a combination of	A. Fact & figure B. Constant C. Numbers D. Special characters
3	In if statement , true is represented by:	A. 0 B. 1 C. 2 D. 3
4	Which of the following statement can be used in C	A. While B. For C. Do while D. All
5	In ERD model, the relationship between two entities is represented by a	A. diamond symbol B. rectangular box C. oval symbol D. line
6	Information including the table name field names and data types is stored in	A. Data dictionary B. Table C. Fields D. None
7	Another term for a conditional operator is:	A. Ternary B. Binary C. Byte D. Iteration
8	C was developed in the year:	A. 1970 B. 1972 C. 1976 D. 1995
9	Which of the following is used for making two way decision:	A. if-else B. If C. Nested if D. Switch
10	What symbol indicates that you are editing a record?	A. Pencil B. Black arrow C. Key D. Asterisk
11	To select all records that begin with letters A through G	A. <="G" B. Like "G" C. <> A D. > A
12	Which of the following file is used to store additional copy of data?	A. Master file B. Transaction file C. Backup file D. None
13	The conditional portion of the If statement can contain:	A. Any valid constant B. Any expression that can be evaluated to a Boolean value C. Any valid variable D. Any valid constant or vairable
14	Which of the following is used to define objects and describe their characteristics	A. Attributes B. Relationship C. Both a & b D. None of them
15	The header file that contains input and output functions is	A. Math.h B. Graphic.h C. Stdio.h D. Conio.h

16	When does the code block following while (x<100) execute?	<ul style="list-style-type: none">A. When x is less than one hundredB. When x is greater than one hundredC. When x is equal to one hundredD. None
17	The number of variables that can be used in printf () function are	<ul style="list-style-type: none">A. oneB. manyC. threeD. zero
18	----- is created when two different names are used for the same information	<ul style="list-style-type: none">A. synonymsB. homonymsC. mutually exclusive dataD. redundant information
19	Which of the following is used to create and modify a form?	<ul style="list-style-type: none">A. Form viewB. Table design viewC. Form design viewD. New Form view
20	Which loop statement executes the body of loop at least once?	<ul style="list-style-type: none">A. do-whileB. WhileC. ForD. None of these