

ICS Part 2 Computer Science Online Test

Sr	Questions	Answers Choice
1	Which of the following data model is more flexible?	A. network model B. hierarchical model C. index sequential file D. direct access file
2	A process of assigning initial value to a variable at the time of declaration is called:	A. Assigning B. Initializing C. Naming D. setting
3	A report that provides a column for each field of the records in rows under the column header is known as:	A. Tabular report B. Columnar report C. Datasheet report D. Justified report
4	How many types of loop structure are available in C?	A. 4 B. 3 C. 2 D. 6
5	Which is needed to add, edit or delete records from a table?	A. Record view B. Datasheet view C. Design view D. Edit view
6	Which of the following operations has lowest precedence?	A. ! B. + C. = D. ==
7	When is while loop more appropriate than for loop?	A. The terminating condition occurs unexpectedly B. The body of loop will be executed at least once C. The program will be executed at least once D. The number of times the loop will be executed is known before the loop executes
8	The processing of running an executable file is known as:	A. Debugging B. Compiling C. Executing D. Saving
9	The case block ends with:	A. End select B. End case C. Break; D. Case else
10	A factor considered when choosing a file organization is	A. Fast data retrieval B. Security C. Efficient storage D. All of them
11	An attribute is also known as	A. table B. relation C. row D. field
12	Different attributes in two different tables having same name are called:	A. Synonym B. Homonym C. Acronym D. Mutually exclusive
13	Which of the following view in MS Access looks like an electronic spreadsheet?	A. Datasheet B. QBE C. Relationship D. Design
14	Every field in a table has:	A. Field name and data type B. field name and a field number C. Field number and a data type D. Field name, field number, and

		data type
15	A special value that marks the end of a list of input data is called:	A. Terminal value B. Sentinel Value C. Loop control value D. Input value
16	How many types of relationship can be used?	A. 2 B. 3 C. 4 D. 5
17	A memory location with some data that cannot be changed is called:	A. Constant B. Variable C. Keyword D. Address
18	SQL stands for:	A. Sort Query Language B. Self Query language C. Seek Query language D. Structured Query Language
19	A well-organized set of instructions given to the computer is called:	A. Hardware B. Software C. Bug D. None
20	In an E-R diagram a rectangle represents	A. Entity B. Arttibute C. Record D. None of them