ICS Part 2 Computer Science Online Test

Sr	Questions	Answers Choice
1	Information including the table name field names and data types is stored in	A. Data dictionary B. Table C. Fields D. None
2	Which of the following may be a temporary file?	A. Master file B. Transaction file C. Back up file D. None
3	This statement may be used to stop a loop's current iteration and begin once:	A. Continue B. Break C. Terminate D. Next
4	Which loop statement executes the body of loop at least once?	A. do-white B. While C. For D. None of these
5	Database integrity refers to the	A. Correctness of data B. Consistency of data C. Both a and b D. None of these
6	An advantage of partitioning is:	A. Efficiency B. Extra space C. Reliabilty D. Accuracy
7	A primary key that consists of more than one attribute is called a	A. Foreign key B. Composite key C. Multi-valued key D. Global key
8	Compiled programs typically execute faster because:	A. Compiled programs are read and executed a line at a time B. Compiled programs are already in a machine-readable form. C. Compiled programs do not require any data D. None of these
9	The SQL statement to create a view is:	A. CREATE VIEW B. MAKE VIEW C. SELECT VIEW D. INSERT VIEW
10	Which of the following loop is available in C language?	A. While B. Do-while C. For D. All

11	What is the value of "a" after execution the following code segment:
	int a=2;
	int b=0;
	while(b<5)
	{ a=a*2;
	b=b+1;
	}
	a=a+1;
		A. 64
		B. 65
		C. 66
		D. 67

12	When we make any modification in a relation it is called	A. Insertion anomaly B. Deletion anomaly C. Modification anomaly D. Both a and b
13	A collection of raw facts and figures is called:	A. Data B. Information C. Operation D. Processing

14	The number of bytes used by double data type in C is:	A. 2 (8) 8 B. 12 C. 6
15	Format arguments are also called	A. Actual arguments B. Dummy arguments C. Original D. Referenced arguments
16	The process of arranging data in a logical sequence is called:	A. Sorting B. Summerizing C. Data capturing D. Classifying
17	The number of variables that can be used in printf ( ) function are	A. One B. Many C. Three D. Zero
18	Which programming structure makes a comparison?	A. Relation B. Decision C. Sequence D. Repitition
19	Which of the following is NOT displayed in Design view?	A. The data type of each field B. The components of each filed C. The properties of the selected field D. The field names
20	The data in tables is entered in:	A. Design view B. Normal view C. Datasheet view D. Layout view