

ICS Part 2 Computer Science Online Test

Sr	Questions	Answers Choice
1	The first line in switch block contains:	A. The value of the first criterion B. The expression to be evaluated C. The statement to be executed if none of the criteria are true D. The statement to be executed if the criterion are true
2	What is the function of a Form in MS Access?	A. View one record at a time B. Add new data C. Change existing data D. All
3	Types of translators are:	A. Compiler B. Interpreter C. Assembler D. All of these
4	Errors in a computer program are also called _____	A. Mistakes B. Bugs C. Syntax D. Wrongs
5	A collection of related fields is called:	A. Character B. Record C. Database D. file
6	Which of the following header file contains information about common mathematical functions?	A. stdio.h B. math.h C. conio.h D. None of these
7	Conditional operator is an alternative of:	A. if B. if-else C. Nested if D. All
8	A two -dimensional table of data is called a	A. Group B. Set C. Declaration D. Relation
9	Which of the following is the correct association?	A. File = column B. Record = row C. Field = row D. Record = table
10	Manipulated of data to achieve required objectives and result is called:	A. Data processing B. Operation C. a and b D. None
11	Which of the following is basic data distribution strategy?	A. Centralized B. Partitioned C. Replication D. All
12	The format specifier % d is used for	A. Int B. Unsigned short C. Unsigned float D. Unsigned long int
13	Computer programs are also known as:	A. Software B. Procedure C. Hardware D. Algorithm
14	C was designed to write program for:	A. Windows operating system B. Solaris Operating system C. Unix Operating system D. OS/2 Operating system
15	Optional is represented by	A. 0 B. 1 C. 2 D. -

		D. none of these
16	The basic structure of C program consists of:	A. Preprocessor Directive B. Main () function C. Program body D. All
17	Which of the following can be used as flag value	A. + B. # C. - D. all
18	Which of the following format specifiers is used for integer data type?	A. %d B. %s C. %c D. %f
19	The foreign key is found in	A. parent table B. dependent table C. pivot table D. index table
20	An IDE stands for:	A. Input data error B. Input Desktop environment C. Integrated Development Environment D. Internal Disk error