ECAT Chemistry Chapter 8 Chemical Equilibrium

Sr	Questions	Answers Choice
1	The solubility product of AgCl is 2.0 x 10^{-3} mol^2 dm^{-6} , The maximum concentration of Ag ion in the solution is :	A. <span style="font-size: 10.5pt; line-height: 107%; font-family: Arial, sans-serif; background-image: initial; background-position: initial; background-size: initial; background-repeat: initial; background-attachment: initial; background-origin: initial; background-clip: initial;"><o:p></o:p> <span style="font-size: 10.5pt; line-height: 107%; font-family: Arial, sans-serif; background-image: initial; background-position: initial; background-size: initial; background-repeat: initial; background-attachment: initial; background-origin: initial; background-clip: initial;">2.0 x 10⁻¹⁰ mol dm⁻³<o:p></o:p> B. 1.41 <span style="font-size: 10.5pt; line-height: 107%; font-family: Arial, sans-serif; background-image: initial; background-position: initial; background-size: initial; background-repeat: initial; background-attachment: initial; background-origin: initial; background-clip: initial;">x 10⁻¹⁰ mol dm^{-3<o:p></o:p>} C. 1.0^{<span style="font-size: 10.5pt; line-height: 107%; font-family: Arial, sans-serif; background-image: initial; background-position: initial; background-size: initial; background-repeat: initial; background-attachment: initial; background-origin: initial; background-clip: initial;">}<span style="font-size: 10.5pt; line-height: 107%; font-family: Arial, sans-serif; background-image: initial; background-position: initial; background-size: initial; background-repeat: initial; background-attachment: initial; background-origin: initial; background-clip: initial;">x 10⁻¹⁰ mol dm^{-3<o:p></o:p>} D. 4.0^{<span style="font-size: 10.5pt; line-height: 107%; font-family: Arial, sans-serif; background-image: initial; background-position: initial; background-size: initial; background-repeat: initial; background-attachment: initial; background-origin: initial; background-clip: initial;">}<span style="font-size: 10.5pt; line-height: 107%; font-family: Arial, sans-serif; background-image: initial; background-position: initial; background-size: initial; background-repeat: initial; background-attachment: initial; background-origin: initial; background-clip: initial;">x 10^{- 10} mol dm⁻³ <o:p></o:p>
		A. Ag⁺ and NO₃₋ only<o:p></o:p> B. Ag⁺ and Ba² and

2	An excess of aqueous silver nitrate is added to aqueous barium chloride and precipitate is removed by filtration. What are the main ion in filtrate?	NO⁻³<o:p></o:p> C. Ba² and NO⁻³<o:p></o:p> D. Ba² and NO⁻³and Cl-<o:p></o:p>
3	On passing HCl gas through a saturated solution of commercial sodium chloride, pure crystals of NaCl are precipitated due to	A. Increase in pH of the solution B. Decrease in pH of the solution C. Common ion effect D. Increase in ionization of NaCl
4	Two moles of HI was heated in a sealed tube at 440°C till the equilibrium was reached. HI was found to be 22% decomposed. The equilibrium constant for dissociation is	A. 0.282 B. 0.0796 C. 0.0199 D. 1.99
5	Question Image	A. 450°C B. 250°C C. 850°C D. 1000°C
6	Question Image	A. 0.60 B. 1.67 C. 0.66 D. 2.6
7	Question Image	A. 4 mole per dm³ B. 2 mole per dm³ C. 0.33 mole per dm³ D. 0.67 mole per dm³
8	Question Image	A. Forward B. Backward C. Already in equilibrium D. K_cis never less
9	The solubility of $PbF_2$is 2.6 x 10^{-3}mole dm^{-3} then its solubility product is	A. 2.6 x 10⁻³ B. 6.76 x 10⁻⁶ C. 5.2 x 10⁻⁶ D. 7.0 x 10⁻⁸
10	Which one of the following has no units of its $K_c$value	
11	Question Image	A. 32 B. 64 C. 16 D. 4
12	$H_2 + L_2$ ----2HI In the above equilibrium system, if the concentration of reactants at 25°C is increased, the value K_C will :	A. Remains Constant B. Increases C. Cecreases D. Depends upon nature of reactans
13	Question Image	A. Complete conversion of A to B has taken place B. Conversion of A to B is only 50% complete C. Only 10% conversion of A to B has taken place D. The rate of transformation of A to B is just equal to rate of transformation of B to A in the system
14	pH of water is 7, if 0.01 M NaOH is added, than its pH is	A. 12 B. 14 C. zero D. 10
15	Question Image	A. Reaction occurs at STP B. Reaction is exothermic C. Reaction is endothermic D. Number of moles of production and reactant are same
16	Almost forward reaction is complete when value of k_c :	A. Neither larger nor very small. B. Very small. C. Very large. D. Negligible.
17	Whenever a week base is dissolved in water, it give its conjugate acid. similarly a weak acid in water produces its conjugate base. This conjugate acid-base pair concept is stated by	A. Law of mass action B. Le-charlier's principle C. Common ion effect D. Lowery Bronsted concept

18	Question Image	A. HF is stable and does not decompose even at 2000°C B. HF is stable and slowly decomposes at 2000°C C. HF is strong acid D. HF produces equal moles of hydrogen and fluorine
19	The relation between Kc and Kp is	
20	According to Le-Chatelier's principal, adding heat to a solid and liquid in equilibrium will cause the	A. Amount of solid to decrease B. Amount of liquid to decrease C. Temperature to rise D. Temperature to fall