

Introduction to programming

Sr	Questions	Answers Choice
1	Which one is not IDE?	A. x code B. dev, c++ C. visual studio D. python
2	Programmers write computer programs in special languages called:	A. general languages B. programming languages C. popper languages D. constant
3	Which are the values that do not change ?	A. constants B. variables C. numeric D. string
4	All the statements inside these make the body of main function:	A. {} B. () C. ?? D. ==
5	can be thought of as a container to store constants:	A. box B. jar C. variable D. collection
6	Which keyword is used to declare the floating type variable ?	A. int B. float C. positive D. char
7	Multiple variables of same data type may also be declared in a:	A. multiple B. single statement C. many D. multiple variable
8	specifies the type of variable, the range of values allowed by that variable and the kind of operations that can be performed on it:	A. variable B. constant C. string D. declaring a variable
9	The process of running a program is called:	A. debugging B. compiling C. execution D. using
10	Header file is started from symbol:	A. # B. \$ C. & D. =
11	Computer programs are written in languages called:	A. developer B. software C. engineer D. programming languages
12	is a software that is responsible for the conversion of program files to machine understandable and executable code:	A. compiler B. editor C. ide D. debugger
13	Which section corresponds to the main function and the body of the main function ?	A. header B. main C. body D. full
14	Single-line comments start with:	A. // B. == C. ?? D. &&
15	Which is software that is responsible for conversion of a computer program written in some programming language to machine language code ?	A. header B. compiler C. progammer D. text editor

		Α : 4
16	Which keyword is used for integer data type ?	A. int B. float
		C. char
		D. double
		D. double
	Set of instruction given to the computer to perform a specific task is known as:	A. computer program
17		B. software
1		C. both a and b
		D. none of these
	If the value is not proceeded by a sign, it is considered:	A. negative
18		B. positive
10		C. module
		D. single constants
	How many bytes are used by float type variable?	A. 1
		B. 4
9		C. 3
		D. 2
		D. 2
00	The execution of program starts from:	A. main section
		B. headersection
20		C. header file
		D. #include