

Exponents And Logarithms

Sr	Questions	Answers Choice
1	If A.M between 5 and b is 10 then value of b is	A. 20 B. 15 C. 10 D. 25
2	Arithmetic mean between -3,7 is	A. 2 B. 3 C. 4 D. 5
3	in the sequence 1,4,9,16,25,...each term is a sequence of	A. natural number B. whole number C. integer number D. odd number
4	A.M between $2\sqrt{5}$ an $6\sqrt{5}$ is	A. $3\sqrt{5}$ B. $2\sqrt{5}$ C. $6\sqrt{5}$ D. $4\sqrt{5}$
5	In the sequence of 1,3,5,7,9,... what is added to get the next term	A. 1 B. 2 C. 3 D. 4
6	If a,G,b is geometric progress is, then G is called	A. geometric mean B. arithmetic mean C. arithmetic sequence D. median
7	2,4,6,8,...20 is a sequence	A. finite B. infinite C. specific D. none-specific
8	What is present in a sequence that it is called finite sequence?	A. order B. second term C. first term D. last term
9	If a,A b is an A.P, then 'A' is said to be	A. median B. geometric mean C. arithmetic mean D. sum of ratio
10	In the sequence 2,4,,6,8,... what is added to get the next number	A. 1 B. 4 C. 3 D. 2
11	The number in a sequence are called its	A. symbol B. terms C. arrangement D. amount
12	Common difference is denoted by	A. d B. b C. a D. c
13	Abbreviation of arithmetic progress (sequence) is	A. A.S B. A.P C. A.M D. both (a) and (b)
14	1,4,7,10...is a sequence	A. finite B. infinite C. specific D. ground sequence
15	Question Image	A. A rational number B. An irrational number C. A complex number D. An integer

