

## Business Statistics Icom Part 2 English Medium Chapter 3 Online Test

Sr	Questions	Answers Choice
1	The mean of a constant 'a' is.	A. $a/2$ B. $a^2$ C. 0 D. None of above
2	The measures of central tendency listed below are.	A. the mean B. The range C. Standard deviation D. The variance
3	The elimination of extreme scores at the bottom of the set has the effect of.	A. Difficult to tell B. Lowering the mean C. Raising the mean D. No effect
4	In a symmetrical distribution, mean , median and mode are always.	A. Different B. Zero C. Identical D. Negative
5	Suitable averagefor averaging the shoe sizes for children is	A. Median B. Mode C. Mean D. G.M
6	The mode of the letters in the word STATISTICS is.	A. I B. S C. S and T D. T
7	The elimination of extreme scores at the top of the set has the effect of.	A. Raising the mean B. Lowering the mean C. No effect D. None of above
8	If any value in the data is zero, then it is not possible to have.	A. H.M B. A.M C. G.M D. Median
9	For the given data 2,4,8,7,-9 , G.M. will be.	A. Undefined B. Zero C. Negative D. Positive
10	The sum of the deviations is zero when the deviations are taken from	A. Mean B. Median C. Mode D. Weighted mean
11	Extreme scores willhave the following effecton the median of an examination.	A. They land to raise it B. They may tend to lower it C. They may have no effect on it D. They tend to lower it
12	The sun of the deviations of a set of n values from means is.	A. Zero B. Positive C. Negative D. Least
13	Scores that differ greatly from the measures of central tendency are called.	A. The best scores B. Extreme scores C. Raw scores D. None of above
14	We must arrange the data before calculating.	A. Mode B. G.M C. Mean D. Mediam
15	If the data contains an extreme value, the suitable average is.	A. Mode B. Median C. Mean D. G.M

16	The sum of deviation is zero when deviations are taken from	A. Median B. Mode C. Mean D. Geometric mean
17	Arithmetic mean of a data is 32. If 5 is added to each item of the same data., what would the new arithmetic mean be.	A. 32 B. 27 C. 37 D. 42
18	In a given data, the average which has the least value is.	A. Geometric mean B. weighted mean C. Harmonic mean
19	Coded method of calculation is only used in	A. A.M B. Median C. Combined mean D. None of above
20	Sample mean is	A. Variable B. Statistic C. Parameter D. Constant