

## ICS Part 2 Computer Science Chapter 11 Online Test

Sr	Questions	Answers Choice
1	The case block ends with:	A. End select B. End case C. Break; D. Case else
2	Database integrity refers to the	A. Correctness of data B. Consistency of data C. Both a and b D. None of these
3	Which programming structure makes a comparison?	A. Relation B. Decision C. Sequence D. Repitition
4	How many times is the test expression of a switch statement evaluated?	A. 0 B. 1 C. 2 D. Once for each case
5	Key is used in	A. If statement B. Else if statement C. Switch statement D. All of the above
6	Which of the following is NOT part of an if statement?	A. A condition that evaluates as a Boolean B. A condition that evaluates as true or false C. A true block D. All of are part of an IF statement
7	A case can be defined as:	A. An individual condition to test B. A set of condition of test C. A statement that includes as if statement D. A block of selection
8	_____ is created when the same name is used for two different attributes	A. Synonyms B. Homonyms C. Redundant information D. Mutually &nbsp;exclusive data
9	If $x=10$ and $y=5$ ,, what will the output of the following expression? $x>y? x*y: x+y$	A. 5 B. 10 C. 15 D. 50
10	What does a compound condition use to join two condition?	A. Relational operator B. Logical operator C. Relational Results D. Logical results
11	The first line in switch block contains:	A. The value of the first criterion B. The expression to be evaluated C. The statement to be executed if none of the criteria are true D. The statement to be executed if the criterion are true
12	From the followings which is different	A. If B. Else-if C. Function D. Switch
13	_____ is used to specify two different choices with "if" statement.	A. Switch B. Else C. If D. If-else
14	To be in 2NF every non key attribute must depend on	A. Key B. All parts of the key C. Composite key D. Both a and b

---

15	When a relational expression is false, it has the value _____	A. 0 B. 1 C. &lt;0 D. S
16	A key in a relation	A. May not functionally determine any attribute in the row B. Functionally determine only one attribute in the row C. Functionally determine at least one attribute in the row D. Functionally determine all the attribute in the row
17	When we make any modification in a relation it is called	A. Insertion anomaly B. Deletion anomaly C. Modification anomaly D. Both a and b
18	Which programming structure executes program statements in order?	A. Relation B. Decision C. Sequence D. Repition
19	Which of the following is equivalent to $(p \Rightarrow q)$ ?	A. $p \wedge q$ B. $\neg(p \wedge q)$ C. $p \wedge \neg q$ D. $\neg p \wedge q$
20	Which of the following statements is the simplest form of a decision structure?	A. Select..case B. If statement C. Try..Catch..Finally D. Nested if

---