

ICS Part 2 Computer Science Chapter 12 Online Test

Sr	Questions	Answers Choice
1	If n=3, what will be the value of n after executing the following code? do n*=2 while (n<48);	A. 24 B. 32 C. 48 D. 96
2	A _____ is used to perform the same sequence of steps or automating tasks repeatedly	A. Macro B. Module C. Forms D. Reports
3	A loop within another loop is called	A. Inner loop B. Nested loop C. Counter loop D. None
4	Repetition structure is used to execute a statement or set of statement	A. Once B. More than one time C. Skip statement D. All
5	Each record consists of a	A. Rows B. Columns C. Both a and b D. None of these
6	Semicolon is placed at the end of condition in:	A. While loop B. Do-while loop C. For loop D. All
7	_____ contains icon button that are shortcuts to the commands in the menu	A. Menu bar B. Tool bars C. Scroll bar D. Status bar
8	This means to increase a value by one:	A. Modulus B. Increment C. Decrement D. Inc
9	_____ are used to move around the window if its contents do not fit on screen	A. menu bar B. Tool bar C. Scroll bar D. Status bar
10	This loop is a good choice when you know how many times you want the loop to iterate in advance of entering the loop?	A. While B. Do-while C. For D. Nested
11	In which loop the condition comes after the body of the loop?	A. While loop B. Do-while loop C. For loop D. B and C
12	A loop with in a loop is called:	A. Nested loop B. Complex loop C. Infinite loop D. Dual loop
13	The body of while loop with multiple statements ends with:	A. Right bracket] B. Right brace } C. Comma , D. Semi colon ;
14	This is a control structure that causes a statement or group of statement to repeat:	A. Decision statement B. Duration C. Iteration D. Test
15	This statement may be used to stop a loop's current iteration and begin once:	A. Continue B. Break C. Terminate D. ...

16	What is the value of "a" after the execution of the following code? int a 25; for(int c=0; c<4;c++) a=a-1; a=1+3;	A. 23 B. 24 C. 25 D. 20
17	The loop which never ends is called:	A. Infinite loop B. Running loop C. Continuous loop D. Nested loop
18	One execution of a loop is known as a(n):	A. Cycle B. Duration C. Iteration D. Test
19	A special value that marks the end of a list of input data is called:	A. Terminal value B. Sentinel Value C. Loop control value D. Input value
20	A counter can be defined as:	A. The final value of a loop B. A variable that counts loop iterations C. The initial value of a loop D. The step value of a loop E.
