

Computer Science Ics Part 2 Chapter 13 Online Test

Sr	Questions	Answers Choice
1	Multiple arguments to a function are separated by:	A. Comments B. Semicolons C. Colons D. Commas
2	Memory is allocated to a local variable at the time of the :	A. Declaration B. Destruction C. Definition D. First reference
3	Which of the following looks for the prototypes of function used in a program?	A. Linker B. Loader C. Compiler D. Parser
4	A value that can be sent to a function is known as:	A. Return value B. Indicator C. Argument D. Automatic variable
5	Formal arguments are also called:	A. Actual arguments B. Dummy arguments C. Original arguments D. Referenced arguments
6	Which of the following is NOT a valid function declaration?	A. int ave3(int a, int b, int c) B. int 3ave(int a, int b, int c) C. int ave3(int, int, int) D. int ave_3(int a1, int b2, int c3)
7	Local variables are also called:	A. Automatic variables B. Normal variables C. Global variables D. Basic variables
8	The parameters in function declaration are called:	A. Formal parameters B. Actual parameters C. Both a and b D. Returned parameters
9	The name of actual and formal parameters:	A. May or may not be same B. Must be same C. Must be different D. Must be in lower case
10	Which of the following is true about a function call?	A. Stops the execution of the program B. Transfer control to the called function C. Transfer control to the main function D. Resumes the execution of the function
11	In a C program, two function can have:	A. Same name B. Same parameters C. Same name & Same parameters D. Same name but different parameters
12	Global variable are created in:	A. RAM B. ROM C. Hard Disk D. Cache
13	Which of the following is incorrect?	A. A function can call another function B. A function can be called many times in a program C. A function can return values input by the user D. A function must at least one variable parameter

-
- 14 A variable declared inside a function is known as:
- A. Local variable
B. Global variable
C. Automatic variable
D. A and C
-
- 15 Which statement is used by a function to return a value?
- A. Give
B. Return
C. Continue
D. Send
-
- 16 Which of the following is type of function available in C language?
- A. User-defined
B. Build-in
C. Subprogram
D. Both a and b
-
- 17 Function prototype for built-in-function are specified in:
- A. Source file
B. Header file
C. Object file
D. Image files
-
- 18 A build-in function:
- A. Cannot be redefine
B. Can be redefined
C. Cannot return a value
D. Should be redefined
-
- 19 Which of the following steps takes place when function is called:
- A. The control moves to the function that is called
B. All statements in the function body are executed
C. The control returns back to the calling function
D. All of these
-
- 20 Function define can be written:
- A. Before main() function
B. After main() function
C. in a separate file
D. All of these
-