

Computer Science Ics Part 2 Chapter 13 Online Test

Sr	Questions	Answers Choice
1	Multiple arguments to a function are separated by:	A. Comments B. Semicolons C. Colons D. Commas
2	Which of the following is type of function available in C language?	A. User-defined B. Build-in C. Subprogram D. Both a and b
3	In a C program, two function can have:	A. Same name B. Same parameters C. Same name & Same parameters D. Same name but different parameters
4	Which of the following is incorrect?	A. A function can call another function B. A function can be called many times in a program C. A function can return values input by the user D. A function must at least one variable parameter
5	Which of the following is NOT a valid function declaration?	A. int ave3(int a, int b, int c) B. int 3ave(int a, int b, int c) C. int ave3(int, int, int) D. int ave_3(int a1, int b2, int c3)
6	A type of function that is available as part of language is known as:	A. User-defined function B. Library function C. Sun-program D. Both a and b
7	Local variables are also called:	A. Automatic variables B. Normal variables C. Global variables D. Basic variables
8	What is the variable name that is used by a function to receive passed values?	A. Funtion B. Parameter C. Expression D. Constant
9	Which of the following steps takes place when function is called:	A. The control moves to the function that is called B. All statements in the function body are executed C. The control returns back to the calling function D. All of these
10	The printf is a :	A. Build-in function B. User-defined function C. Local function D. Keyword
11	The first line of function definition is known as:	A. Function header B. Function body C. Arguments D. Return type
12	The function definition consists of:	A. Function header or function declaration B. Function body C. Both a and b D. None
13	Global variable are created in:	A. RAM B. ROM C. Hard Disk D. Cache

14	Which of the following is true for return statement in a function?	<ul style="list-style-type: none">A. It can return one value onlyB. It can return integer valueC. It cannot return any valueD. It cannot be used in a function
15	Which statement is used by a function use to return a value?	<ul style="list-style-type: none">A. GiveB. ReturnC. ContinueD. Send
16	The parameters in function declaration are called:	<ul style="list-style-type: none">A. Formal parametersB. Actual parametersC. Both a and bD. Returned parameters
17	Another name for build-in function is:	<ul style="list-style-type: none">A. User-defined functionB. Arithmetic functionC. Library functionD. Both a and b
18	Function declaration consists of:	<ul style="list-style-type: none">A. Function nameB. Function return typeC. Number and types of parametersD. All of these
19	Memory is allocated to a local variable at the time of the :	<ul style="list-style-type: none">A. DeclarationB. DestructionC. DefinitionD. First reference
20	The name of actual and formal parameters:	<ul style="list-style-type: none">A. May or may not be sameB. Must be sameC. Must be differentD. Must be in lower case