

PPSC Computer Science Full Book MCQ's test

Sr	Questions	Answers Choice
1	Text boundary can be displayed on hidden from	A. Auto text option from insert menu B. Options from tools menu C. Customize from tools menu D. All of above
2	EPS image file format is used for	A. Vector graphics B. Bit map C. Both a and b D. None
3	Which Bus connects CPU and level 2 cache	A. Rear side bus B. Front side bus C. Memory side bus D. None
4	Which of the following tool enables you to add text to a slide without using the standard placeholders.	A. Text tool box B. Line tool C. Drawing tool D. Auto shapes tool
5	Which of the following is used to create newspaper style columns.	A. Format tabs B. Table insert table C. Insert textbox D. Format Columns
6	Find the output of the following program <pre>void main (){ int i = 'hello'; printf (i); }</pre>	A. Syntax error B. Runtime error C. h D. Hello
7	Hyperlink cannot be	A. Special shapes like stars and banners B. Drawing objects like rectangles ovals C. Pictures D. All can be hyperlinks
8	What is the deliverable of requirements analysis.	A. Interfaces B. Design specification C. Requirements specification D. Executable file
9	Which is used to store critical pieces of data during subroutines and interrupts.	A. Stack B. Queue C. Accumulator D. Data register
10	An___ can be considered as an extension of spherical surface.	A. Bezier B. Ellipsoid C. Shearing D. None
11	A web application running on multiple servers is called as.	A. Web farm B. Web form C. Web site D. None
12	Which of the following variables is not a predefined variable.	A. \$get B. \$ask C. #reuest D. #post
13	Traditionally the only phase of software development where a formal approach is used is	A. Programming B. Design C. Requirement D. Testing
14	Solaris is product of.	A. IBP B. IBM C. Microsoft D. Sun microsystemes

15	The number of records contained within a block of data on magnetic tape is defined by the	A. Block definition B. Record contain clause C. Blocking factor D. Record per block factor
16	We spilt testing into distinct stages primarily becasue.	A. Each test stage has a different purpose. B. It is easier to manage testing in stages C. We can run different test in different environments D. The more stages we have the better the testing.
17	The two kinds of main memory are	A. Primary and secondary B. Radom and Sequential C. ROM and RAM D. All of above
18	Which of the following are not parts of the system they represent anyone or anything that must interact with the system.	A. Use cases B. Actors C. Components D. Classess
19	Beam penetration method is used in	A. Random scan system B. Raster scan system C. Both a and b D. None
20	ICW stand for	A. interrupt command words B. Interrupt command write C. Initialization command words D. Initialization command write