

Computer Science - 10th Class Computer Science English Medium Chapter 4 Preparation

Q1. Define Array initialization.

Ans 1: Assigning values to an array for the first time, is called array initialization. An array can be initialized at the time of its declaration, or later, Array initialization at the time of declaration can be done in the following manner.

Data _ type array _ name { N } = {Value} , value 2, value, 3....., value N }

Q2. How we can exit from the for loop.

Ans 1: Condition is checked in the loop and if it turns out to be false, then we come out of loop.

Q3. When body of the loop is executed.

Ans 1: If the condition is true, then body of the loop is executed. After executing the body of the loop, the counter variable is increased or decreased depending on the logic of the program.

Q4. What are uses of loop in an array.

Ans 1: Loops can be used to read and write values in arrays. As variables can be used as array indexes, so we can use loops to perform different operations on arrays. If we want to display the whole array, then instead of writing all the elements one by one, we can loop over the array elements by using the loop counter as an array index.

Q5. Define Loop Structure.

Ans 1: Loop Structure is used to repeat a number of statements up to a specified number of times or until a specified condition is fulfilled. A loop is a statement in a programming language that allows one or more statements to be repeatedly executed as many times as required. There are three types of loops which are used in C programs.

Ans 2: * for loop

* While loop

* do while loop

Q6. How index are assigned to an array.

Ans 1: First element has the index 0, second element has the index 1 and so on. Thus weight { 0 } refers to the first element of the array weight, weight { 1 } refers to the second element and so on.

Q7. What is counter variable in for loop.

Ans 1: Counter variable in for loop is used to keep track of count how many times a piece of code is executed.

Q8. What is data structure? And why we need data structure.

Ans 1: Data structure is a container to store collection of data items in a specific layout. High level programming languages provide data structures in order to store and organize data. Different data structures are available in C programming language. Array is the one of the most common data structure in C language.

Ans 2: Need: We need data structure to store and process large amount of data.

Example: The marks of 100 students we do not need to declare 100 variables we should use array.

Q9. What is Iteration.

Ans 1: Each run of a loop is called iteration. In a computer program, a common form of iteration is a loop. Loop structure is used to repeat a number of statements up to a specified number of times or until a special condition is fulfilled.

Q10. Define Nested loops.

Ans 1: When we use a loop inside another loop, it is called nested loop structure. In nested loop an inner loop is completely enclosed inside an outer loop. We use nested loops to repeat a pattern multiple times.
