

Computer Science - ICS Part 2 Computer Science Chapter 14 Short Questions Preparation

Q1. Name two type of stream used in files.

Ans 1: Name of Stream: There are two types of stream:

- Text Stream
- Binary Stream

Q2. Define Stream.

Ans 1: Stream: Avery important concept in C is the stream . A stream is a logical interface to a file. A stream is associated to a file using an open operation. Astream is disassociated from a file using a close operation.

Types:There are two types of stream:

- Text Stream
- Binary Stream

Ans 2:

Q3. How is a file closed ?

Ans 1: When a program has no further use of file , it should close it with `fclose ()` library .function

Syntax:

```
int fclose (FILE*fp)
```

The `fclose()` function closes the file associated with `fp`, which must be valid file pointer previously obtained using `fopen ()`, and disassociates the stream from the file. It also destroys structure that was created to store information about file.

Q4. What is File Pointer ?

Ans 1: A file pointer is a variable of type `FILE` that is defined in `stdio.h`. To obtain a file pointer variable, a statement like the following is used: `FILE* fp;`

Explanation :

We Know the symbol `*` as the arithmetic multiplication operator. But it has entirely different meaning when used with a data type such as `int`, `double` ,or `FILE`. It represents a pointer to the variable of type with which it is used e.g.`int*` represents a pointer to an integer , `float` represents a pointer to afloat variable , and `FILE *` represents a pointer to a variable of type `FILE`. Conceptually, a pointer is a memory cell whose content is the address of another memory cell.

Q5. How is file opened in C?

Ans 1: Before reading from or writing to a file, it must be opened. All Standard file handling file handling function of C are declared in `stdio.h`. Thus it is include in almost every program. To open a file and associate it with a stream, the `fopen()` function is used. Its prototype is shown here:

```
File* fopen (const char * filename, const char* mode);
```

Q6. Describe the purpose of file handling .

Ans 1: File Handling: A file represents a sequence of bytes on the disk where a group of related data is stored. File is created for permanent storage of data. It is a readymade structure.

In C Language, we use a structure pointer of file type to declare a file.

File *fp

Types of function: C provides a number of functions that helps to perform basic file operations.

Q7. What is text file?

Ans 1: A text file is a name collection of characters saved in secondary storage e.g on a disk. A text file has not fixed size. To mark the end of text file, a special end-of-file character is placed after the last character in the file (denoted by EOF in C.) When we create a text file using a text editor such as notepad, pressing the ENTER key causes a newline character (denoted by \n in C)to be placed at the end of each line, and an EOF marker is placed at the end of the file.

Q8. Define pointer.

Ans 1: A pointer is a memory cell whose content is the address of another memory cell.

Q9. Why is it important to close a file?

Ans 1: When a program has no further use of file, it should close it with fclose(V) library function.

Syntax:

```
int fclose (FILE* fp)
```

Q10. What is binary system?

Ans 1: A binary system is a sequence of bytes with a one-to-one correspondence to those on the external device (I.e.,no translation occur). The number of bytes written or read is the same as the number on the external device. However, an implementation-defined number of bytes may be appended to a binary stream
