

## ECAT Computer Science Chapter 12 Introduction to C Language

Sr	Questions	Answers Choice
1	Function prototype for built-in functions are specified in:	A. Source file B. Header file C. Object file D. Image file
2	Global variables are created in	A. RAM B. ROM C. Hard disk D. Cache
3	A value that can be sent to a function is known as	A. Returned value B. Indicator C. Argument D. Automatic variables
4	Which of the following is true about a function call?	A. Stops to execution of the program B. Transfer control to the called function C. Transfer control to the main function D. Resumes the execution of the program
5	Which of the following looks for the prototypes of functions used in a program?	A. Linker B. Loader C. Compiler D. Parser
6	Another name for built in function:	A. User defined function B. Library function C. Arithmetic function D. Both A and B
7	In a C program, two functions can have:	A. Same name B. Same parameters C. Same name and same parameters D. Same name but different parameters
8	The name of actual and formal parameters	A. May or may not be same B. Must be same C. Must be different D. Must be in lower case
9	Which of the following is type of function available in C language?	A. User defined B. Built in C. Subprogram D. Both A and B
10	Which of the following is incorrect?	A. A function can call another function B. A function can be calling many times in a program C. A function can return values input by user D. A function must have at least one value parameter
11	The name of actual and formal parameters:	A. May or may not be same B. Must be same C. Must be different D. Must be in lower case
12	The parameters in function declaration is called:	A. Formal parameters B. Actual parameters C. Both A and B D. Returned parameters
13	Formal arguments are also called	A. Actual arguments B. Dummy arguments C. Original arguments D. Referenced arguments
14	Which of the following can return a value	A. Function B. Procedure

		C. Both A and B D. None of above
15	A value that can be sent to a function is known as:	A. Returned value B. Indicator C. Argument D. Automatic variable
16	A built-in function:	A. Cannot be redefined B. Can be redefined C. Cannot return a value D. Should be redefined
17	Multiple arguments to a function are separated by:	A. Coments B. Semicolons C. Colons D. Commas
18	Function prototype for built-in functions are specified In	A. Source file B. Header file C. Object file D. Image file
19	Function declaration consists of	A. Function name B. Function return type C. Number and types of parameters D. All of these
20	Which statement is used by a function used to return a value:	A. Given B. Return C. Continue D. Send